

Project	M/s Kalyani Ispat Limited
EC Identification No. and Date	EC 23A1001CG5286032N dated 08/05/2024
Period of compliance	April 2025 to Sept 2025

Updated on 31.12.2025

Note: Construction work started

A. Specific conditions		
S.L	Conditions	Compliance statement
i.	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Agreed
ii.	The project proponent shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	Agreed
iii.	The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard.	The same has been noted and will be complied with.
iv.	PP shall complete the conversion of the total proposed land for industrial use prior to commencement of proposed project.	The environmental clearance no. IA-J-11011/1172/2007-IA-II(IND-I) dated 08.05.2024 had been granted for 38.68 ha. Land conversion copy is enclosed as Annexure- 1

v.	Village Kopedih is at 1.2 km, Kopedih Tedesara Rajnandgaon - Hospital at 1.5 km and other sensitive areas are within the study area of the project site. Proponent shall take appropriate environmental safeguard measures to minimize the impact on the habitation of the locals. The project proponent needs to strengthen green belt all around the plant area to reduce the dust pollution. The PP shall also include some of these locations in its environmental monitoring programme.	Presently project construction work is on ongoing. The construction had started from 15.11.2024, which was winter season, wherein the survival of the saplings was challenging. However, the establishment of the green belt around periphery plant area has already been initiated before the advent of monsoon 2025 with the following activities: ● 2200 trees planted along the boundary covering an area of 0.88 ha. Geotagged photographs showing this plantation is given below:     ● The total green belt to be established is 13.15 ha. ● The balance green belt shall be 12.27 ha which shall be established as per following action plan: <table><tr><th>Year</th><th>Area ha</th><th>Trees</th><th>Budget Rs Lakhs</th></tr><tr><td>Past</td><td></td><td></td><td></td></tr><tr><td>25-26</td><td>0.88</td><td>2200</td><td>2.2</td></tr><tr><td>Future</td><td></td><td></td><td></td></tr><tr><td>26-27</td><td>6.00</td><td>15000</td><td>15</td></tr><tr><td>27-28</td><td>6.27</td><td>15675</td><td>15.67</td></tr><tr><td>TOTAL</td><td>13.15</td><td>32875</td><td>32.875</td></tr></table> The company will follow its commitment to establish balance 12.27 ha as per above plan.	Year	Area ha	Trees	Budget Rs Lakhs	Past				25-26	0.88	2200	2.2	Future				26-27	6.00	15000	15	27-28	6.27	15675	15.67	TOTAL	13.15	32875	32.875
Year	Area ha	Trees	Budget Rs Lakhs																											
Past																														
25-26	0.88	2200	2.2																											
Future																														
26-27	6.00	15000	15																											
27-28	6.27	15675	15.67																											
TOTAL	13.15	32875	32.875																											
vi.	As committed, PP shall construct the bridge above the branch canal passing through the project area based on the NOC from concerned authority and there shall be no disturbance to the canal.	NOC obtained vide letter no 7106/Tak/ abhimat/ 2024 dated 23.12.2024. Copy enclosed as Annexure-2																												

vii.	PP shall make efforts for the conservation of the seasonal drain passing through project area.	Shall be complied.
viii.	Khapri Nala is at a distance of 0.3 km in North direction, minor irrigation tank at 0.7 km in West along with several other water bodies within the study area of the project site. A robust and full proof Drainage Conservation scheme to protect the natural drainage and its flow parameters; along with Soil conservation scheme and multiple Erosion control measures shall be implemented.	Khapari Nalla is completely outside the project boundary at a distance of about 0.3 KM in north direction thus there will be no impact on this Nala. The water of the upper catchment area and surplus water from Birejhar Village Minor Irrigation Tank is drained through the same. The very small area is the catchment area of the this seasonal is having contour of 290 to 288 m MSL Following control measures will be provided • Garland drains and settling ponds under construction to take care of soil erosion during rainy season. • The rain water drains will also be having Oil traps will be provided • Thick green belt with native tree species with deep roots will be Planted all along with the boundary walls • Rain water harvesting practice will be adopted which will also help to improve the water table in the area
ix.	Total water requirement of 4400 m ³ /day which will be obtained from the Surface Water from Shivnath River (at village Anjora) through pipeline after obtaining necessary permission from the Competent Authority.	• 495 KLD Ground water permission obtained from CGWA vide letter no CGWA/NOC/IND/EXP/2025/156 dated 04.02.2025. • 13.651 MCM surface water permission recommended by Chhattisgarh State industrial Development Corporation Limited vide letter no 1114/SIPB/2025/881 Raipur dated 31.10.2025. Copy of Recommendation letter is enclosed as Annexure -3
x.	Three tier Green Belt shall be Developed in at least 33% of the project area as per the committed plan all along the project site of adequate width and tree density shall not be less than 2500 per ha. Survival rate of green belt developed shall be monitored on periodic basis to ensure that damaged plants are	Please refer Conditions no V

	replaced with new plants in the subsequent years. PP shall also develop greenbelt in the form of shelter belt comprising of total of 6 rows of 2x2 m plantation with tall trees & broad leaves with thick canopy along with windshield inside the plant premises to act as green barrier for air pollution & noise levels towards sensitive areas nearby project site. The PP shall also adopt vertical garden type of plantation. Compliance status in this regard, shall be submitted to concerned Regional Office of the MoEF&CC.	
xi.	All the commitments made towards socio-economic development of the nearby villages shall be satisfactorily implemented. The action plan based on the social impact assessment study of the project as per the EMP in accordance to the Ministry's OM dated 30.09.2020 amounting to Rs. 14.15 Crores shall be strictly implemented and progress shall be submitted to the Regional Office of MoEF&CC.	Commitments made towards socio-economic development of the nearby villages is being implemented .Copy enclosed as Annexure 16 and proposed for the year 26-27 is also enclosed as Annexure -17
xii.	The project proponent shall undertake village adoption programme and prepare and implement the action plan to develop them into a model village.	The company is also submitted a letter to the District Collector Office (copy given in Annexure 17) for adoption of Kopedih village to develop it into a model village and the inputs of the District Administration has also been sought for better dovetailing of the proposed activities of the company with those schemes being implemented by the District Administration.
B.	General Conditions	
I.	Statutory Compliances:	
i.	The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA notification 2006 and its amendments issued from time to time. It does not tantamount / construe to approvals/ consent/permission etc. required to be obtained or standards/ conditions to be followed under any other Act/Rules/Subordinate legislations, etc., as may be applicable to the project.	Noted
ii.	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted
II.	Air Quality monitoring and preservation	
i.	The project proponent shall install 24 X 7 continuous emission monitoring system at process stacks to monitor stack emission as well as 04 Nos. Continuous Ambient Air Quality Station (CAAQS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) rules 1986 as amended	Plant is under construction. Few photographs showing status of project and is enclosed as Annexure 10 24 X 7 continuous emission

	from time to time. The CEMS and CAAQMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	monitoring system at process stacks to monitor stack emission will be installed before operation of the plant. We have awarded work order to M/s Green Enviro International Pvt. Ltd. Hyderabad for supply and installation of 4 Nos. Continuous Ambient Air Quality Monitoring System (CAAQMS) at Kalyani Ispat Limited. Copy enclosed as Annexure 11 We have submitted letter to Regional Officer, Chhattisgarh Environment Conservation Board Bhilai, regarding CECB direction for installation of 4 Nos Continuous Ambient Air Quality Monitoring System (CAAQMS) at identified location in Kalyani Ispat Limited. Letter copy is enclosed as Annexure 12
ii	The project proponent shall carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM25 in reference to PM emission, and SO2, and NOx in reference to SO2, and NOx emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120° each) covering upwind and downwind directions.	Presently Environmental monitoring is being carried out by MOEF&CC recognized lab and AAQ report is enclosed as Annexure- 4.
iii.	The project proponent shall monitor fugitive emission in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Fugitive emission monitoring is being carried out by laboratories recognized under Environment (Protection) Act, 1986 and report is enclosed as Annexure -5
iv.	Sampling facility at process stacks and at quenching towers shall be provided as per CPCB guidelines for manual monitoring of emissions.	Sampling facility at process stacks will be provided as per CPCB guidelines for manual monitoring of emissions.
v.	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.	ESP and bag filter will be installed
vi.	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.	Leakage detection and mechanized bag cleaning facilities for better maintenance of bags will be Installed
vii.	Sufficient number of mobile or stationary vacuum cleaners shall be provided to clean plant roads, shop floors, and roofs regularly.	Sweep machine will be provided to clean road

viii.	Ensure covered transportation and conveying of raw material to prevent spillage and dust generation. The project proponent use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.	All trucks used for transportation of raw material and finished product covered with tarpaulin, maintained, optimally loaded and have PUC certificates will be allowed in plant premises.
ix.	Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting /agglomeration	iron ore fines, Char coal and coke fines, will be collected in the pollution control devices and will be reuse in the process
x.	The project proponent shall provide primary and secondary fume extraction system at all heat treatment furnaces.	Fume extraction under installation in SMS
xi.	Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.	Wind shelter fence and chemical spraying will be provided on the raw material stock piles.
xii.	Design the ventilation system for adequate air changes as per prevailing norms for all tunnels, motor houses, Oil Cellars.	ventilation will be provided in Rolling mill
xiii.	Pollution control system in the plant shall be provided as per the CREP Guidelines of CPCB.	CREP Guidelines under implemented
xiv	The project proponent shall adopt the Clean Air practices like mechanical collectors, wet scrubbers, fabric filters (bag houses), electrostatic precipitators, combustion systems (thermal oxidizers), condensers, absorbers, absorbers, and biological degradation. Controlling emissions related to transportation shall include emission controls on vehicles as well as use of cleaner fuels Sufficient numbers of additional truck mounted Fog/Mist water cannons shall be procured and operated regularly inside the project premises and also in the surrounding villages to arrest suspended dust in the atmosphere.	1. Company will adopt the Clean Air practices like mechanical collectors, wet scrubbers, fabric filters. 2. Electrostatic precipitators, combustion systems condensers, absorbers. 3. Sufficient numbers of additional truck mounted Fog/Mist water cannons shall be procured and operated regularly inside the project premises and also in the surrounding villages to arrest suspended dust in the atmosphere..
xv.	Bag filters shall be cleaned regularly and efficiency of bag filter system shall be monitored at regular intervals.	The same has been noted and will be complied with.
xvi.	Water Sprinklers/Water mist system shall be installed near raw material yards, operational units and other strategic locations to control fugitive emissions from the plant.	Water Sprinklers system will be installed near raw material yards, operational units and other strategic locations to control fugitive emissions from the plant.
xvii.	The particulate matter emissions from the process stacks shall be less than 30 mg/Nm ³ and measures shall be undertaken as per the submitted action plan. Efficient Air monitoring equipment shall be installed.	The same has been noted and will be complied with.
xviii.	Following additional arrangements to control fugitive	1. Wheel washing mechanism shall

	dust shall be provided: a. Fog/Mist Sprinklers at all on bulk raw material storage area (at the transfer points) like Iron Ore, Coal and for Fly Ash and similar solid waste storage areas b. Proper covered vehicle shall be used while transport of materials c. Wheel washing mechanism shall be provided in entry and exit gates with complete recirculation system	be provided in entry and exit gates with complete recirculation system 2. Proper covered vehicle will be used while transport of materials 3. Fog Sprinklers at all on bulk raw material storage area, Coal and for Fly Ash and similar solid waste storage areas
xix.	Briquetting and Jigging plant shall be installed in Ferro Alloys Plant.	Briquetting and jigging plant yet to install.
xx.	The PP shall minimize the evaporation losses in jigging operation to less than 10% using suitable advanced process.	Jigging plant yet to install.
xxi.	The 4th hole extraction system shall be provided in the Sub Merged Arc Furnaces and EAF.	The same has been noted and will be complied with.
xxii.	Industry is going to use silica quartz in large quantities and going to produce Silico Manganese and Ferro Silicon alloy steel. Therefore, it is necessary to control silica/quartz exposures at production Departments, not only emission norms as per Indian Factories Act. The permissible limit for silica/quartz should be within 10 mg/m ³ for total dust as per Indian Factories Act. Therefore, it is recommended to monitor personal and area exposures for silica quartz dust in the process plants.	Noted
xxiii.	No Ferro-chrome production shall be carried out without prior Environmental clearance from MoEF&CC.	Agreed
xxiv.	During operational phase at Captive Power Plant, Action Plan to monitor coke/coal dust exposures in different process plants using personal and area air samplers and to compare with permissible limits as per Indian Factories Act, 1948 shall be implemented.	During operational phase, Action Plan will be prepared to monitor coke/coal dust exposures in different process plant and will be submitted to MOEF&CC IRO / CECB Raipur
xxv.	The coal dust should be monitored at coal unloading, crushing, furnace areas and should be within 2 mg/m ³ , respirable dust fraction containing less than 5% quartz as per Indian Factories Act, 1948.	coal dust will be monitored at coal unloading, crushing, furnace areas
xxvi.	Online stack monitoring system for IF and RHF shall be installed and monitoring report shall be submitted to the concerned Regional Office of the MoEF&CC along with the six monthly compliance report.	SMS comprising IF under construction. online monitoring systems will be installed before operation of SMS plant
xxvii.	Low NO _x Burners will be installed at Reheating Furnace for control of Gaseous emissions generated while using PNG.	RHF yet to install.
III.	Water quality monitoring and preservation	
i.	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31 st March 2012 (Integrated	Effluent treatment plant yet to install.

	iron & Steel); G.S.R 414 (E) dated 30 th May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7 th December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	
ii.	The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories	Ground water quality monitoring is being carried out by recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories .
iii.	Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.	Garland drain is under construction and will be completed before operation of the plant
iv.	Water meters shall be provided at the inlet to all unit processes in the steel plants.	Water meters will be provided at the inlet to all unit processes in the steel plant before operation of the plant .
v.	The project proponent shall make efforts to minimize water consumption in the plant complex by segregation of used water, practicing cascade use and by recycling treated water.	Air Cooled condensers is being used in the captive power plant and will reduce specific water consumption . Effluent generated from Power plant will be treated in ETP and treated water will be used in dust suppression
vi.	The proposed project shall be designed as "Zero Liquid Discharge" Plant. ETP shall be installed and there shall be no discharge of effluent from the plant. Domestic effluent shall be treated in Sewage Treatment Plant. Suitable measures shall be adopted for sewage water handling to ensure no contamination of any kind of water body.	Agreed, "Zero Liquid Discharge" Plant. ETP Will be installed no discharge of effluent from the plant.
vii.	All stockyards shall have impervious flooring and shall be equipped with water spray system for dust suppression. Stock yards shall also have garland drains and catch pits to trap the run off material and shall be implemented as per the action plan submitted in EIA/EMP report.	Stockyards will be made impervious flooring and will be equipped with water spray system for dust suppression. Stock yards shall also have garland drains and catch pits to trap the run off material and shall be implemented. The same has been noted and will be complied with.
viii.	Rain water harvesting shall be implemented to recharge/harvest water as per the action plan submitted in the EIA/EMP report.	The same has been noted and will be complied with.

ix.	The project proponent shall provide the ETP for effluents of rolling mills to meet the standards prescribed in G.S.R 277(E) 31st March 2012 (applicable to IF/EAF) as amended from time to time.	Rolling Mill under construction ETP will be provided
x.	Air Cooled condensers shall be used in the captive power plant.	Air Cooled condensers is being used in the captive power plant.
IV.	Noise monitoring and prevention	
i.	Noise pollution shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Noise Monitoring is being carried out by MOEF&CC Recognized Lab. All and noise within the limit . Report is enclosed as Annexure - 6
ii.	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time	Noise monitoring is well within limits
iii.	PP shall identify extreme hot areas through heat stress survey as well as noise monitoring within process plants to ensure that workers not exposed above 90 dBA levels as per Factories Act, 1948.	We committed that during operation of the plant Hot zone area as well as Noise area will be identified accordingly Heart stress monitoring will be carried out
V.	Energy Conservation measures	
i.	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;	solar power generation on roof tops of buildings, will be installed during operation of the plant
ii.	Provide LED lights in their offices and residential areas.	LED light will be provided during operation of the plant
iii.	The project proponent shall provide waste heat recovery system (pre-heating of combustion air) at the flue gases of reheating furnaces.	WHRB based power Plant is under construction.
iv.	Practice hot charging of slabs and billets/blooms as far as possible.	Rolling mill and RHF under construction
v.	Ensure installation of regenerative/ recuperative type burners on all reheating furnaces.	Rolling mill and RHF under construction
VI.	Waste management	
i.	Oil Collection pits shall be provided in oil cellars to collect and reuse/recycle spilled oil. Oil collection trays shall be provided under coils on saddles in cold rolled coil storage area.	Oil Collection pits under construction in rolling mill
ii.	Kitchen waste shall be composted or converted to biogas for further use.	composted machine will be installed after operation of the Plant
iii.	100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.	100% utilization of fly ash is ensured. All the fly ash will be used for cement and brick manufacturers

iv.	The Plastic Waste Management Rules 2016, inter-alia, mandated banning of identified Single Use Plastic (SUP) items with effect from 01/07/2022 In this regard, CPCB has issued a direction to all the State Pollution Control Boards (SPCBs)/Pollution Control Committees (PCCs) on 30/06/2022 to ensure the compliance of Notification published by Ministry on 12/08/2021 The technical guidelines issued by the CPCB in this regard is available at https://cpcb.nic.in/technical-guidelines-3/ All the project proponents are hereby requested to sensitize and create awareness among people working within the Project area as well as its surrounding area on the ban of SUP in order to ensure the compliance of Notification published by this Ministry on 12/08/2021. A report, along with photographs, on the measures taken shall also be included in the six monthly compliance reports being submitted by the project proponents.	Plastic Waste Management Rules 2016, is being implemented
v.	A proper action plan must be implemented to dispose of the electronic waste generated in the industry.	Proper action plan will be submitted for implementation and dispose of the electronic waste generated in the plant
vi.	Solid waste utilization a. PP shall install a slag crusher to convert steel slag into aggregate for use in construction industry, fine sand for use as flux in steel plant, sand in brick making and as lime in cement making. b. PP shall recycle/reuse solid waste generated in the plant as far as possible. c. Used refractories shall be recycled as far as possible.	(a)Char will be generated from DRI plant will be used in CFBC based power Plant (b)Fly ash generated from Power plant will be used in Brick manufacturing (c)Slag generated from SMS will be separated in slag separation plant and metal will be used in SMS and non metal in form of sand will be used in Brick plant
VII.	Green Belt	
i.	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration by trees.	The GHG emission inventory report will be prepared.
ii.	Project proponent shall submit a study report on Decarbonization program, which would essentially consist of company's carbon emissions, carbon budgeting/ balancing, carbon sequestration activities and carbon capture, use and storage and offsetting strategies Further, the report shall also contain time bound action plan to reduce its carbon intensity of its operations and supply chains, energy transition pathway from fossil fuels to Renewable energy etc. All these activities/assessments should be measurable and monitor able with defined time frames.	A study report on decarbonization program will be submitted.
iii.	Greening and Paving shall be implemented in the	Concrete road is under progress

	plant area to arrest soil erosion and dust pollution from exposed soil surface	and completed before operation of the plant
VIII.	Public hearing and Human health issues	
i.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan will be prepared
ii.	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms.	stress analysis will be carried out for the workmen who will work in high temperature work zone and will be provided Personal Protection Equipment
iii.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP. Safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Provision is made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile. Safe drinking water, medical health care, provided. Temporary housing may be removed after the completion of the project
iv.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained.	Occupational health surveillance of the workers is being done on a regular basis and records is maintained. One Occupational Health center is established within existing plant premises with necessary facilities and One MBBS doctor, three compounders and one pharmacist are appointed to run the center, which are and can also be used by villagers of nearby areas.
IX.	Environment Management	
i.	The project proponent shall comply with the provisions contained in this Ministry's OM vide F. No. 22-65/2017-IA.III dated 30/09/2020. As part of Corporate Environment Responsibility (CER) activity, company shall adopt nearby villages based on the socio-economic survey and undertake community developmental activities in consultation with the village Panchayat and the District Administration as committed.	Expenditure incurred for CSR activity is enclosed as Annexure - 18 The company is also submitted a letter to the District Collector Office for adoption of Kopedih village to develop it into a model village and the inputs of the District Administration has also been sought for better dovetailing of the proposed activities of the company with those schemes being implemented by the District Administration and is enclosed as Annexure 17
ii.	The company shall have a well laid down	Corporate Environmental Policy is

	environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	prepared and enclosed as Annexure-7 . System for reporting of non-compliance of EC conditions to the Board of Directors. The non-compliances are being reported to Board of Directors and corrective as well as preventive actions are taken.																		
iii.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	A separate Environment Management Cell has been established both at the project and company head quarter level, details of environmental cell at company head quarter level. <table border="1"> <thead> <tr> <th>S I</th><th>Name</th><th>Designation</th></tr> </thead> <tbody> <tr> <td>1</td><td>G.P. Sharma</td><td>Sr. GM (Env)</td></tr> <tr> <td>2</td><td>Dr Bal Bandhu</td><td>Addl GM (Geo)</td></tr> <tr> <td>3</td><td>Mr. Rajeev</td><td>Mgr (Env)</td></tr> </tbody> </table> A separate environment management cell at project level <table border="1"> <thead> <tr> <th>S I</th><th>Name</th><th>Designation</th></tr> </thead> <tbody> <tr> <td>1</td><td>Mr Sukh Sagar Singh</td><td>Manager (Env)</td></tr> </tbody> </table>	S I	Name	Designation	1	G.P. Sharma	Sr. GM (Env)	2	Dr Bal Bandhu	Addl GM (Geo)	3	Mr. Rajeev	Mgr (Env)	S I	Name	Designation	1	Mr Sukh Sagar Singh	Manager (Env)
S I	Name	Designation																		
1	G.P. Sharma	Sr. GM (Env)																		
2	Dr Bal Bandhu	Addl GM (Geo)																		
3	Mr. Rajeev	Mgr (Env)																		
S I	Name	Designation																		
1	Mr Sukh Sagar Singh	Manager (Env)																		
iv.	Performance test shall be conducted on all pollution control system every year and report shall be submitted to integrated regional Office of the MoEF&CC.	Performance test will be conducted on all pollution control system every year and report will be submitted to Integrated Regional Office of the MoEF&CC Raipur .																		
X.	Miscellaneous																			
i.	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	The advertisement was published in English newspaper "Amrit Sandesh and Hindi newspaper "Tarun dated 10.05.2024. copy of advertisement is enclosed as Annexure- 8																		
ii.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in	Copy of Environmental Clearance letter has been submitted to Collector Rajnadaon vide letter no																		

	addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Kalyani Ispat/ EC/2024 dated 09.05.2024. Copy enclosed as Annexure -9
iii.	The project proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and update to the same on half-yearly basis.	Six monthly compliance report is being uploaded in company's <u>website: www.kalyaniispat.com</u>
iv.	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	Environmental monitoring is being carried out by NABL/ MOEF&CC recognized Lab. Display board will be installed before operation of plant
v.	Action plan for developing connecting and internal road in terms of MSA as per IRC guidelines shall be implemented.	All the major raw materials and finished products will be transported through covered trucks by road and / or rail .
vi.	The Project proponent shall submit six-monthly reports on the status of the compliance of the stipulated Environmental conditions on the website of the Ministry of Environment, Forest and Climate change at Environment clearances portal.	Six-monthly compliance report is being submitted to MOEF&CC Regional office, Raipur and being uploaded in Parivesh portal
vii.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Environmental statement is being submitted to State Pollution Control Board. Copy enclosed as Annexure-14
viii.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	It is submitted that this is a 100% self-financed project and therefore no loans have been taken from the banks. Thus, financial closure and final approval from any authority is not required.
ix.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Environmental protection measures and safeguards recommended in the EIA/EMP report are being implemented.
x.	The recommendations of the approved site-Specific wildlife management plan (in case of involvement of Schedule-I species) shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report to the concerned Regional Office of the MoEF&CC.	Site specific wildlife is approved by PCCF Wild life vide letter no 153 dated 04.07.2025. Copy enclosed as Annexure 13
xi.	The PP shall put all the environment related expenditure, expenditure related to Action Plan on the PH issues, and other commitments made in the EIA/EMP Report etc. in the company web site for the	The company is uploading regularly six monthly environmental compliance report on its website www.kalyaniispat.com .

	information to public/public domain. The PP shall also put the information on the left over funds allocated to EMP and PH as committed in the earlier ECs and shall be carried out and spent in next three years, in the company website for the information to public/public domain.	1) Environment related expenditure is given Annexure -17 2) Proposed expenditure to be incurred for the year 2025 - 2026 is enclosed as Annexure -16
xii.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	TOR obtained from MOEF vide letter no A-J-11011/1172/2007-IA-II(IND-I) dated 13.01.2025 for Expansion of Integrated Steel Plant from 0.4785 MTPA to 0.9285 MTPA finished steel products (0.466 MTPA to 2.012 MTPA crude steel) and area expansion from 38.68 Ha to 84.021 Ha in villages Kopedih and Anjora, Tehsil & District Rajnandgaon, Chhattisgarh
xiii.	The Regional office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data/information/monitoring reports.	Agreed

अदालत श्री जितेन्द्र सिंह राजपूत विशेष कर्तव्यस्थ अधिकारी, परिवर्तित भूमि राजनांदगांव (छ.ग.)
(परिवर्तित भूमि पर पुर्ननिर्धारण, प्रब्याजी तथा जुर्माना का सुचनापत्र)

नोटिस प्रपत्र-बी

अनुविभागीय अधिकारी / रा.मा.क

बनाम

202305090700081/अ-2 2022-2023

श्री कल्याणी सत्यात लिमिटेड काय अधिहृत डिग्री कुमार यादव
ग्राम कोयसीह प.ह.न. 62 रा.नि.म. रेसरा

तहसील राजनांदगांव जिला राजनांदगांव (छ.ग.)

(1) आपको सूचित किया जाता है कि निम्नांकित भूमि पर गैर-कास्तकारी उपयोग में लाये जाने के कारण राजस्व मामला क्रमांक 202305090700081/518/342 /अ-2 2022-2023 के अंतर्गत अनुविभागीय अधिकारी राजनांदगांव के आदेश दिनांक 15/05/2023 के अनुसार निम्नलिखित पुर्ननिर्धारण (जमा) निर्धारण किया गया है:-

ग्राम का नाम मय बंदोबस्त नंबर/प. ह.न.	खसरा नंबर/सर्वे नंबर/प्लॉट नंबर	परिवर्तित भूमि का क्षेत्रफल	अंतिम रूप से निर्धारण किया गया संशोधित पुर्ननिर्धारण
ग्राम	481/1, 481/3, 482, 483/1, 483/2	0.4040, 0.2000, 0.0730, 1.2150, 1.7160	
<u>कोयसीह</u>	483/3, 483/4, 483/5, 484, 485/3	0.8090, 0.1250, 1.0900, 0.2830, 0.2000	
	486/1, 486/2, 486/3, 487/1, 487/3	0.3240, 0.1020, 0.2220, 0.1210, 0.1920	
	491/2, 491/3, 492/1, 498, 499/1	0.2020, 0.2830, 0.5050, 0.5240, 0.0410	
प.ह.न.	499/2, 499/3, 499/4, 499/5, 499/6	0.2430, 0.0320, 0.1380, 0.0610, 0.6320	
<u>62</u>	499/7, 499/8, 499/9, 499/10, 500/1	0.0610, 0.0360, 0.0610, 0.0360, 0.0930	
	502/2, 502/3, 503, 504/1, 504/2	0.930, 0.1900, 0.7130, 0.3930, 0.2020	
	505/1, 505/2, 506/1, 506/2,	0.2190, 0.3320, 0.2020, 0.2570, 0.2020	
	506/3, 506/4, 507/2, 509/1	0.1210, 0.2320, 0.5340, 0.6870, 0.1130	
	510/2, 510/4, 510/5, 511/2	0.1130, 0.2100, 0.4210, 0.5990, 0.5980	
	511/3, 559/1, 559/2, 560, 561	0.5100, 0.8900, 0.7930, 0.6220, 0.0280	
	562, 563, 564/1, 564/2, 564/3	0.0240, 0.0280, 0.3850, 0.0610	
	565, 567/1, 567/3, 567/4	0.2020, 0.2020, 0.2760, 0.3240, 0.3240	
	568/1, 568/2, 568/4, 570, 573/1	0.0890, 0.2020, 0.2790, 0.0810	
	573/2, 573/3, 574/1, 576	0.1420, 0.1980, 0.0970, 0.1050	
	583/1, 583/2, 583/4, 584/1	0.0970, 0.2540, 0.1050, 0.1580	
	585/1, 585/2, 585/4, 585/5	0.2100, 0.105, 0.6800, 0.0730	
	586, 587, 588/3, 589, 590/1	0.5990, 0.7090, 0.0610, 0.0450	
	590/3, 590/4, 591, 594/1	0.2630, 1.4410, 0.1980, 0.1980, 0.1980	
	594/2, 594/3, 594/4	0.1130, 0.5060, 0.1780, 0.1140, 0.1780	
	595/1, 595/2, 595/3	0.2350, 0.0600, 0.1940, 0.1940, 0.1940	
	595/4, 595/5, 596/1, 596/2	0.1130, 0.1130, 0.1210, 0.0990, 0.3400	
	596/3, 597/1, 597/2	0.2340, 0.1700, 0.1700	
	598/1, 598/2, 598/3		
	598/4, 600/2, 600/3, 84/3		
	84/2		
	कुल खसरा नं.	कुल 30.541 हेक्टेयर	

चालान नंबर 181, 167, 168, 169, 165 दिनांक 23/05/2023 को परिवर्तित लगान 202670=00
रूपये प्रीमियम 1527050=00 अर्धदण्ड 2 रूपये पंचायत उपकर 101355=00 रूपये पर्यावरण
उपकर 22800=00 रूपये अधोसंरचना विकास उपकर 22800=00 रूपये खजाना 2022-23
तक दाखिल किया गया। उपरोक्तानुसार संबंधित हल्का पटवारी अभिलेख दुरुस्त करें।

टीप :- सक्षम प्राधिकारी द्वारा छ.ग. भू- राजस्व संहिता की धारा 59(2,5) के अंतर्गत निम्नलिखित शर्तों के
अध्याधीन भूमि 212/013 प्रयोजन के लिए पुनःनिर्धारण किया गया।

- शर्त:- (1) नगर तथा ग्राम निवेश विभाग के निर्धारित अभिन्यास के अनुरूप और संबंधित विभागों से
अनापत्ति/अनुमति प्राप्त करना, भूमि पर विकास/भवन निर्माण स्वीकृत कराना तथा नगर
निवेश का पत्र क्रमांक 2 दिनांक 2 के प्रावधानों का
पालन करना होगा।
- (2) उक्त भूमि पर भवन निर्माण / विकास हेतु नगर पालिका / अन्य संबंधित
विभागों से स्वीकृति प्राप्त करना होगा।
- (3) उक्त खसरा नंबर का बिना अभिन्यास अनुमोदन के भूमि का उप विभाजन नहीं किया जाये।
- (4) प्रकरण में नक्शे में दर्शाये भूमि पर दी गई शर्तों के अधीन निर्माण करना होगा।
आवेदित स्थल पर ऐसा कोई कार्य नहीं करेगा, जिससे आसपास के निवासियों के लिए न्यूसेंस
अथवा प्रदूषण उत्पन्न करें।
शुद्धीय भूमि पर अतिक्रमण न किया जावे।
प्रत्येक वर्ष नियमित रूप से परिवर्तित लगान की राशि संबंधित तहसील कार्यालय में जमा किया
जाना आवश्यक होगा।

तारी दिनांक 25/05/2023




अधीक्षक
भू-अभिलेख (परि.भूमि)
राजनंदगांव (छ.ग.)

**कार्यालय अनुवि भागीय अधिकारी (राजस्व), राजनांदगांव,
जिला-राजनांदगांव, छत्तीसगढ़
//सूचना पत्र प्रारूप "ब"//**

राजस्व मा0 कं0 / 202403090700053 / 363, वर्ष- 2023-24 आदेश दिनांक 22/07/2024

आवेदक कल्याणी इस्पात लिमिटेड द्वारा अधिकृत दिनेश कुमार यादव पिता श्री कुलदीप सिंह यादव, निवासी एस0 एच0-11, गार्डन मूल्य, लालपुर, देवोपुरी, रायपुर, तहसील व जिला रायपुर (छत्तीसगढ़) आपको सूचित किया जाता है कि राजनांदगांव विकास योजना पुनर्विलोकन 2031 अनुसार निवेश क्षेत्र से बाहर है। अतः निम्नलिखित भूमि अकृषि कार्य में परिवर्तन होने के कारण उस पर निम्न अनुसूचित के खण्ड-5 में दिए अनुसार संशोधित राजस्व निर्धारण हो चुका है। जिसकी यथा विधि पुष्टिकरण हो गई है।

ग्राम कोपेडीह, पटवारी हल्का नंबर 62, खसरा नंबर क्रमशः 491/6, 491/7, 511/1, 511/4, 568/3, 569, 574/2, 575/1, 575/2, 575/3, 575/4, 583/3, 584/2, 585/3, 588/4, 590/2, 592/1, 593/1, 593/2 रकबा क्रमशः 0.050, 0.050, 0.255, 0.146, 0.101, 0.121, 0.060, 0.032, 0.032, 0.032, 0.032, 0.248, 0.794, 0.158, 0.402, 0.498, 1.044, 0.530, 0.530 हेक्टेयर, के औद्योगिक प्रयोजन हेतु परिवर्तित भूमि का लगान 63375.00 रु0 की दर से दिनांक 01/10/2023 से प्रारंभ होने वाले वर्ष से प्रतिवर्ष निम्नानुसार तहसीलदार राजनांदगांव को भुगतान करना होगा।

कं0	चालान का मद	चालान की राशि
1	परिवर्तित लगान	63375.00
2	जनपद उपकर	31688.00
3	पर्यावरण उपकर	7130.00
4	विकास उपकर	7130.00
5	प्रीमियम	255750.00

- उपरोक्तानुसार राशि शासकीय कोषालय में जमा कर मूल चालान की प्रति आवेदक द्वारा प्रस्तुत किया गया है, जिसे वासिल बाकि नवीस शाखा, तहसील राजनांदगांव के द्वारा तहसील के सी-2 पंजी में दर्ज करने का टीप अंकित है। प्रकरण में धारा 59 (2) के तहत पुनर्कर निर्धारण निम्नांकित शर्तों के अधीन किया जाता है।

3/11



1. इसे भू-राजस्व संहिता की धारा 172(1) के तहत व्यपवर्तन अनुज्ञा नहीं माना जावे।
2. आवेदित भूमि पर किसी भी प्रकार के निर्माण अथवा विकास के पूर्व सर्व संबंधित विभाग से भनापत्ति प्राप्त करना आवेदक के अनिवार्य व बंधनकारी होगा।
3. आवेदक द्वारा लोक स्वास्थ्य, सुविधा, तथा सुरक्षा को बनाए रखेगा। आस-पास की शासकीय भूमि में अतिक्रमण नहीं किया जावेगा।
4. शासन के पुनर्कर निर्धारण संबंधी समस्त विधिक प्रावधानों का पालन करना आवेदक के लिए अनिवार्य होगा। शर्तों के अपालन की स्थिति में यह आदेश स्वमेव निरस्त माना जाएगा।
5. व्यपवर्तित भूमि नगरीय क्षेत्र में होने से संबंधित नगरीय निकाय से एवं ग्रामीण क्षेत्र में संबंधित ग्राम पंचायत से भवन अनुज्ञा प्राप्त कर अधिरोपित शर्तों के अध्यधीन व्यपवर्तित प्रयोजन हेतु उपयोग की अनुमति होगी।
6. आवेदित भूमि का व्यपवर्तित मद अनुसार उपयोग में प्रवेश हेतु राष्ट्रीय राजमार्ग तथा राजकीय राजमार्ग से सीधे रास्ते की अनुमति नहीं होगी।
7. व्यपवर्तित भूमि पर प्रवेश हेतु रास्ता मद के अतिरिक्त अन्य मद की शासकीय भूमि के उपयोग की स्थिति में पृथक से अनुमति आवश्यक होगी। अन्यथा व्यपवर्तन निरस्त माना जाएगा।
8. आवेदित भूमि को एक चक में बटांकित खसरा मानते हुए व्यपवर्तन स्वीकार किया जा रहा है। व्यपवर्तित भूमि को पुनः उप विभाजन किए जाने की स्थिति में व्यपवर्तन स्वमेव निरस्त माना जावेगा।
9. व्यपवर्तन उपरांत निर्धारित भू-राजस्व पर्यावरण एवं अधोसंरचना उपकर, पंचायत उपकर इत्यादि नियमित जमा नहीं किए जाने की स्थिति में किसी भी समय, सूचना उपरांत व्यपवर्तन निरस्त किया जा सकेगा।



अनुविभागीय अधिकारी (रा०)
राजनांदगांव

क०/2723/प्रवा०-3/अ०वि०/2024
प्रतिलिपि :-

राजनांदगांव, दिनांक 01/07/2024
08

1. तहसीलदार राजनांदगांव (वासिल बाकि नवीस शाखा) राजनांदगांव को आवश्यक कार्यवाही हेतु अप्रेषित।
2. आवेदक कल्याणी इस्पात लिमिटेड द्वारा अधिकृत दिनेश कुमार यादव पिता श्री कुलदीप सिंह यादव, निवासी एस० एच०-11, गार्डन ग्रूव, लालपुर, देवोपुरी, रायपुर, तहसील व जिला रायपुर (छत्तीसगढ़), प्रतिवर्ष देय रकम निर्धारित समय में जमा करना सुनिश्चित करें।

अनुविभागीय अधिकारी (रा०)
राजनांदगांव



न्यायालय अनुविभागीय अधिकारी (राजस्व), एवं प्राधिकृत अधिकारी, (भू-व्यपवर्तन)

राजनांदगांव, जिला राजनांदगांव, छत्तीसगढ़

रा.मा.कं. - 202511090700035/77 अ-2, वर्ष 2024-25

कल्याणी इस्पात लिमिटेड

द्वारा संदीप कुमार मिश्रा पिता सनत कुमार मिश्रा

निवासी- प्रोफेसर कॉलोनी, रायपुर

तहसील व जिला रायपुर

.....आवेदक

विरुद्ध

छत्तीसगढ़ शासन

.....अनावेदक

आदेश

(पारित दिनांक 02/12/2025)

न्यायालय में यह प्रकरण आवेदक संदीप कुमार मिश्रा पिता सनत कुमार मिश्रा निवासी सदर बाजार राजनांदगांव, तहसील व जिला राजनांदगांव (छत्तीसगढ़) द्वारा निज स्वामित्व की भूमि ग्राम कोपेडीह, प.ह. नं. 62, खसरा नंबर

क्र०	खसरा नंबर	रकबा, (हेक्टेयर में)
1	332/2	0.3040
2	472/2	0.2020
3	479/1	0.0230
4	479/2	0.0350
5	480	0.0850
6	481/2	0.0600
7	485/1	0.0640
8	485/2	0.0410
9	487/2	0.1000
10	488/1	0.1520
11	490/1	0.0640
12	490/2	0.1140
13	491/1	0.0510
14	491/5	0.0510
15	492/2	0.4570
16	504/3	0.2580
17	504/4	0.1390
18	532/1	0.0260
19	542/2	0.0690
20	545/4	0.1500
21	588/2	0.4050
22	600/1	0.3240
23	600/4	0.0810
24	605/1	0.0760

अधीक्षक, भू-परि-
62. उपरोक्तानुसार
के तहत वर्ष
2020

25	634/2	0.1700
26	635	0.2830
27	647/1	0.1380
28	647/2	0.1380
29	647/3	0.1580
30	647/4	0.1090
31	647/5	0.1700
32	647/6	0.0610
33	726/1	0.3200
	योग	4.8780

के औद्योगिक प्रयोजन हेतु छत्तीसगढ़ भू-राजस्व संहिता-1959 के तहत पुनर्कर निर्धारण एवं व्यपवर्तन किए जाने के प्रस्तुत आवेदन पर प्रारंभ हुआ। आवेदक द्वारा आवेदित भूमि का खसरा पी-2, बी-1, नक्शा, पंजीकृत विक्रय विलेख की छायाप्रति इत्यादि प्रस्तुत किया गया।

प्रकरण में ईशतहार के प्रकाशन बाद नियत समयावधि में कोई दावा/आपत्ति प्राप्त नहीं हुआ है।

सर्व संबंधित विभाग को अभिमत/अनापत्ति हेतु ज्ञापन जारी किया गया। उपसंचालक, नगर तथा ग्राम निवेश राजनांदगांव को कार्यालयीन पत्र क्र./4043/प्रवा.-3/अविअ/2025 राजनांदगांव दिनांक 02/09/2025 को अभिमत हेतु ज्ञापन प्रेषित किया गया। नियत समयावधि में अभिमत प्राप्त नहीं होने पर उप संचालक नगर तथा ग्राम निवेश विभाग की मौन स्वीकृति मान कर प्रकरण में कार्यवाही की गई। नगर तथा ग्राम निवेश विभाग का अभिमत इस आदेश का अनिवार्य भाग है, जिसका पालन आवेदक के लिए बंधनकारी है।

हल्का पटवारी द्वारा प्रस्तुत प्रतिवेदन अनुसार :-

- आवेदित भूमि, आवेदक के नाम पर राजस्व अभिलेख में दर्ज और कब्जे में है। आवेदित भूमि के लिए आम रास्ता उपलब्ध होना प्रतिवेदित है।
- आवेदित भूमि, किसी अन्य शासकीय प्रयोजन हेतु अर्जित किया जाना प्रस्तावित नहीं है।
- आवेदित भूमि, प्राकृतिक जल स्रोत यथा तालाब, नदी, नाला, अथवा पगडंडी कब्रिस्तान जैसे सार्वजनिक प्रयोजन के उपयोग अंतर्गत नहीं है।
- आवेदित भूमि के 10 मीटर की त्रिज्या में कोई पाईप लाईन एवं 50 मीटर की त्रिज्या में कोई तेल भंडार नहीं है।
- आवेदित भूमि पूर्व में शासन से पट्टे पर प्राप्त अथवा किसी आदिवासी के नाम पर दर्ज नहीं है।
- आवेदित भूमि के अधिकार अभिलेख की सत्यापित छायाप्रति हल्का पटवारी द्वारा प्रस्तुत किया गया है। आवेदित भूमि, भूमि स्वामी हक में दर्ज है।
- हल्का पटवारी के प्रतिवेदन आवेदित भूमि नगर एवं ग्राम निवेश के प्रस्तुत भूमि उपयोग कृषि व वर्तमान मार्ग से प्रभावित नहीं है।

प्रकरण में संलग्न दस्तावेजों से उपरोक्त तथ्यों की पुष्टि होने एवं छत्तीसगढ़ भू-राजस्व संहिता की धारा-59 (2) के अनुसार पुनर्कर निर्धारण योग्य पाए जाने पर राजस्व निरीक्षक (नियमित) से पुनर्कर निर्धारण प्रतिवेदन लिया गया।

अधीक्षक, भू-परिवर्तन शाखा राजनांदगांव के प्रतिवेदन अनुसार आवेदित भूमि ग्राम कोपेडीह, प.ह.नं. 62, उपरोक्तानुसार कुल खसरा संख्या-33 कुल रकबा 4.878 हेक्टेयर पर भू-राजस्व संहिता की धारा-59 के तहत वर्ष 2024-25 से परिवर्तित लगान 46243.00 रु०, जनपद उपकर 23124.00 रु० पर्यावरण उपकर 5202.00 रु. विकास उपकर 5202.00 व प्रीमियम 243800.00 रु., प्रस्तावित किया है।

राजस्व निरीक्षक नियमित के पुनर्कर निर्धारण प्रतिवेदन से सहमत होते हुए औद्योगिक प्रयोजन हेतु वर्ष 2024-25 से छत्तीसगढ़ भू-राजस्व संहिता की धारा 172 (1) के तहत व्यपवर्तन एवं धारा 59 (2) के तहत निम्नानुसार पुनर्कर निर्धारण स्वीकार किया जाता है:-

क्र०	पुनर्कर निर्धारण	राशि, रु. में	चालान शीर्ष	रिमाक
1	परिवर्तित लगान	46243.00	0029- भू-राजस्व 101- भू-राजस्व कर (0005) भू-राजस्व पर अधिभार (परिवर्तित लगान)	छत्तीसगढ़ शासन राजस्व एवं आपदा प्रबंधन विभाग मंत्रालय, महानदी भवन, नवा रायपुर के ज्ञापन क्र०/एफ-4- 07/सात-1/2019 दि० 26/10/2019 के अनुसार "भूमि स्वामी द्वारा गैर कृषि प्रयोजन के लिए धारित भूमि (परिवर्तित भूमि) के संदर्भ में निर्धारित वार्षिक भू-भाटक की राशि को 15 वर्ष के लिए एकमुश्त भुगतान करने पर भूमि स्वामी को आगामी 15 वर्ष (16 वें वर्ष से लेकर 30 वर्ष) के वार्षिक भू-भाटक के भुगतान से छूट प्राप्त होगी।"
2	जनपद उपकर	23124.00	0029- भू-राजस्व 103- भूमि पर लगान और उपकर (0669) पंचायत उपकर	
3	पर्यावरण उपकर	5202.00	0029- भू-राजस्व 103- भूमि पर लगान और उपकर (0062)-पर्यावरण उपकर	
4	विकास उपकर	5202.00	0029- भू-राजस्व 103- भूमि पर लगान और उपकर (0063) अधोसंरचना विकास उपकर	
5	प्रीमियम	243900.00	029- भू-राजस्व 800- अन्य प्राप्ति (0017)-परिवर्तित भूमि से प्राप्त प्रब्याजी	

पुनर्कर निर्धारण में निम्न शर्तें प्रभावशील रहेंगी :-

- व्यपवर्तित भूमि सक्षम अधिकारी की अनुमति के बगैर उपखण्डों में विभाजन पर यह आदेश स्वमेव निरस्त माना जावेगा।
- आवेदक शासकीय अथवा किसी अन्य की भूमि पर अतिक्रमण नहीं करेगा।
- आवेदक को प्रश्नाधीन भूखण्ड पर नगर तथा ग्राम निवेश विभाग के निर्धारित अभिन्यास के अनुरूप और संबंधित विभागों से अनापत्ति/अनुमति प्राप्त कर शासन के निर्धारित काल अवधि में निर्माण पूर्ण कराना होगा। किसी भी प्रकार के अवैध प्लानिंग की अनुमति नहीं होगी।
- छत्तीसगढ़ नगर तथा ग्राम निवेश अधिनियम-1973 के अनुसार विकास की परिभाषा में भूमि को भूखण्ड किया जाना शामिल है। अतः बिना ले-आउट पास कराए भू-खण्ड का विभाजन अवैध होगा।
- आवेदित भू-खण्ड का बिना अभिन्यास अनुमोदन के उप विभाजन करते हुए पाए जाने पर दण्डात्मक कार्यवाही का प्रावधान है।
- विनिर्दिष्ट भ्रष्ट आचरण निवारण अधिनियम के नियम 24 से 32 तक का पूर्ण पालन करना होगा। प्रकरण में प्रस्तुत नक्शे में दर्शाए भूमि पर दी गई शर्तों के अधीन निर्माण करना होगा।

- आवेदक आवेदित स्थल पर कोई ऐसा कार्य नहीं करेगा जो आस-पास के निवासियों के लिए न्यूसेंस अथवा प्रदूषण उत्पन्न करें।
 - छ0ग0 भू-राजस्व संहिता की धारा-59 के प्रावधानों के तहत सक्षम प्राधिकारी से प्रीमियम एवं परिवर्तित लगान की राशि जमा करने के उपरांत ही यह अनुमति प्रभावशील माना जावेगा। प्रत्येक वर्ष नियमित रूप से परिवर्तित लगान की राशि तहसील कार्यालय में जमा कराया जाना आवश्यक होगा।
 - अनुविभागीय अधिकारी (राजस्व) एवं प्राधिकृत अधिकारी के पुनर्कर निर्धारण आदेश के बाद परिवर्तित लगान की राशि निर्धारित शीर्ष में चालान के द्वारा, भारतीय स्टेट बैंक, कलेक्ट्रेट शाखा, राजनांदगांव में आवेदक के द्वारा भुगतान कर चालान की एक प्रति कार्यालय में प्रस्तुत करने पर ही प्रपत्र "बी" जारी किया जाएगा।
 - इस अनुमति का यह अर्थ कदापि नहीं होगा कि आवेदक को शासन के किसी अन्य नियम/निर्देश के पालन करने से छूट प्रदान की गई है।
 - आवेदित भूमि के संबंध में कोई विवाद/आवेदक द्वारा गलत तथ्य प्रस्तुत किए जाने/छुपाने या उपरोक्त शर्तों का उल्लंघन करने की स्थिति में यह आदेश स्वतः निरस्त माना जावेगा और प्रीमियम एवं भू भाटक की राशि वापस नहीं की जावेगी।
- आदेश आज दिनांक 02/12/2025 को मेरे हस्ताक्षर एवं न्यायालय की मूद मुद्रा से पारित एवं उद्घोषित।

अनुविभागीय अधिकारी (रा.),
एवं सक्षम अधिकारी

राजनांदगांव

राजनांदगांव दिनांक 02/12/2025

कं0 1098/अ.वि.अ./प्रवा.-3/2025
प्रतिलिपि :-

1. आयुक्त नगर पालिक निगम राजनांदगांव को सूचनार्थ।
2. उप संचालक, नगर तथा ग्राम निवेश राजनांदगांव को सूचनार्थ।
3. क्षेत्रीय अधिकारी, पर्यावरण संरक्षण मंडल, 5/32 बंगला भिलाई जिला दुर्ग को सूचनार्थ।
4. तहसीलदार राजनांदगांव जिला राजनांदगांव को आवश्यक कार्यवाही हेतु अग्रेषित।
5. आवेदक कल्याणी इस्पात लिमिटेड द्वारा संदीप कुमार मिश्रा पिता सनत कुमार मिश्रा निवासी- प्रोफेसर कॉलोनी, रायपुर को पुनर्कर निर्धारण आदेश पालनार्थ।

अनुविभागीय अधिकारी (रा.),
एवं सक्षम अधिकारी
राजनांदगांव

**कार्यालय कार्यपालन अभियंता,
जल संसाधन संभाग-राजनांदगांव (छ.ग.)**

Telephone & Fax No (07144-224112), Email: ccwdrjn6.2011@rediffmail.com

ज्ञापन क्रमांक 1903 / कार्य / 2025
प्रति,

राजनांदगांव दिनांक 20/06/2025

✓ कल्याणी स्पार्त लिमिटेड
पथम तल मकान नं 117
बिल्डींग नं एन 18 सेक्टर 02
एस.बी.आई. ए.टी.एम. अवती विहार
रायपुर (छ0ग0)

विषय :- N.O.C. for construction of 10 nos. Culvert on seasonal nala bearing khasra no. 577, 601, 606 and 616 of village- Kopedih and khasra no. 49 of Village - Anjora of Tahsil Rajnandgaon Dist. Rajnandgaon Passing through the land owned by kalyani ispat Limited.

संदर्भ :- 1 आपका आवेदन पत्र दिनांक 18.06.2025
2 कार्यालय कलेक्टर जिला राजनांदगांव दिनांक 18.06.2025 के आर्डर सीट
3 अनुविभागीय अधिकारी जल संसाधन उपसंभाग क. 02 राजनांदगांव का पत्र क. 412/अविलि दिनांक 19.06.2025

---000---

उपरोक्त विषयान्तर्गत संदर्भित पत्र क. 02 के परिपालन में एवं अनुविभागीय अधिकारी के संदर्भित पत्र क. 03 के अनुशंसा अनुसार सयंत्र स्थापना हेतु 10 स्थानों पर (संलग्न नक्शा अनुसार) प्रस्तावित कल्वर्ट का निर्माण किये जाने हेतु सशर्त अनापत्ति दी जाती है :-

1. नाला का उदगम स्थल से सयंत्र के सीमा प्रारम्भ तक में किसी भी प्रकार से नाला के जल प्रभाव को बिना बाधित किये हुए, कल्वर्ट का निर्माण किया जावे।
2. सयंत्र की सीमा से प्रारम्भ (नाला हेतु) से सयंत्र की अंतिम छोर (संलग्न नक्शा अनुसार) नाला स्थल में Gradient (ढाल) अनुसार Proper Slope Maintain किया जाना अनिवार्य है ताकि पानी सुगमता से निकासी हो सके।
3. प्रस्तावित 10 कल्वर्ट (नक्शा अनुसार) विन्हांके स्थान पर ही Order Sheet में दर्शाये प्रस्तावित चौड़ाई के अनुसार ही निर्माण करना सुनिश्चि करें।
4. निर्माण प्रारम्भ करने के समय विभाग को सूचना दे ताकि समय-समय पर निर्माण का निरीक्षण किया जा सके।

उपरोक्त शर्तों के तहत निर्माण कार्य करने की अनुमति दी जाती है। निर्माण कार्य में उपरोक्त शर्तों के विरुद्ध कार्य कराने पर अनुमति निरस्त मानी जावेगी।

सहपत्र :- आर्डर शीट की छायाप्रति एवं नक्शा।

Dr. R. K.

कार्यपालन अभियंता,

जल संसाधन संभाग, राजनांदगांव (छ0ग0)

पृष्ठांकन / कार्य / 2025

राजनांदगांव दिनांक

प्रतिलिपि:-

कलेक्टर जिला राजनांदगांव की ओर सादर सूचनार्थ।

सहपत्र :- शून्य।

October 2024 ..

स्वी-

कार्यपालन अभियंता,

जल संसाधन संभाग, राजनांदगांव (छ0ग0)

राजस्व आदेश अनुवृत्ति पत्र

राजस्व प्रकरण क्रमांक 202505090700025 अ-59 वर्ष 2024-25

(1)

(2)

(3)

14.06.2025

—प्रकरण अनुविभागीय अधिकारी(रा.) राजनांदगांव से प्राप्त। अवलोकन किया। उनके प्रतिवेदन दिनांक 29.05.2025 का अवलोकन किया। जिसमें उनके द्वारा बताया गया है, कि

—आवेदक संदीप कुमार मिश्रा कल्याणी इस्पात लिमिटेड द्वारा संयंत्र स्थापना हेतु जल प्रवाह के लिए वैकल्पिक प्रस्ताव के साथ नाले को मोड़े जाने एवं नाले के मार्ग परिवर्तित करने की अनुमति के संबंध में नायब तहसीलदार राजनांदगांव से वस्तुस्थिति का प्रतिवेदन प्राप्त किया गया। नायब तहसीलदार राजनांदगांव द्वारा प्रतिवेदित किया है कि मेसर्स कल्याणी इस्पात लिमिटेड द्वारा ग्राम कोपेडीह की शासकीय भूमि खसरा नंबर 577, 601, 606, 616 रकबा क्रमशः 1.311, 0.170, 0.664, 0.182 हे. एवं ग्राम अंजोरा की शासकीय भूमि खसरा नंबर 49 रकबा 0.020 हे. जो कि राजस्व अभिलेख में नाला मद में दर्ज है। आवेदक उक्त नाले का उन्नयन करते हुए उसके उपर आवश्यकतानुसार कल्वर्ट बनाकर अपने प्रस्तावित संयंत्र स्थापित करना चाहते हैं। तत्संबंध में रा.नि.मं. ठाकुरटोला एवं हल्का पटवारी से प्रतिवेदन प्राप्त प्राप्त किया गया है जिसके अनुसार :-

आवेदित भूमि ग्राम कोपेडीह की खसरा नंबर 577, 601, 606, 616 एवं ग्राम अंजोरा की शासकीय भूमि खसरा नंबर 49 नाला मद में दर्ज है। आवेदित भूमि किसी योजना के तहत सुरक्षित नहीं है। आवेदित भूमि राष्ट्रीय राजमार्ग से लगभग 3 कि.मी. दूर है। आवेदित भूमि पर किसी प्रकार की कोई संरचना नहीं है। आवेदक के आवेदनानुसार उक्त नाले का उन्नयन किया जाकर उसके उपर कल्वर्ट बनाकर संयंत्र का निर्माण करना प्रस्तावित है। प्रस्तुत आवेदन अनुसार उक्त नाले में कुल 10 कल्वर्ट बनाया जाना प्रस्तावित किया गया है जिसका मौका मिलान कर नक्शे के अनुसार प्रस्तावित कल्वर्ट हेतु चिन्हांकित स्थानों पर नाले की चौड़ाई निम्नानुसार है :-

स. क्र.	कल्वर्ट क्रमांक	प्रस्तावित कल्वर्ट वाले स्थान पर नाले की चौड़ाई (मीटर में)	प्रस्तावित कल्वर्ट की चौड़ाई (मीटर में)	प्रस्तावित कल्वर्ट की दूरी (मीटर में) दक्षिण से प्रारंभ होकर
1	1	08.16	10.00	1-00
2	2	09.54	12.00	1 से 2-55.30
3	3	09.78	12.00	2 से 3-86.64
4	4	09.70	15.00	3 से 4-61.18
5	5	10.48	13.00	4 से 5-43.85
6	6	09.43	12.00	5 से 6-52.80
7	7	07.46	12.00	6 से 7-60.18
8	8	09.61	11.00	7 से 8-96.73
9	9	06.20	08.00	8 से 9-133.26
10	10	11.50	16.00	9 से 10-76.62

उक्त नाले का राजस्व अभिलेख अनुरार नक्शा मय प्रस्तावित कल्वर्ट नाले स्थान पर नाले की चौड़ाई सहित प्रतिवेदन के साथ संलग्न है। उक्त स्थान पर वर्तमान में नाला नहीं है। नाले पर प्रस्तावित स्थानों पर कल्वर्ट बनाने से एवं उसके उपर संयंत्र स्थापना से संबंधित निर्माण कार्य करने से नाले के पानी के प्रवाह में कोई प्रभाव नहीं पड़ेगा। आवेदक द्वारा अपनी भूमि पर वर्तमान में संयंत्र स्थापना हेतु कार्य किया जा रहा है नाले में किसी भी प्रकार का कोई निर्माण कार्य नहीं किया गया है, प्रतिवेदित किया है।

उक्त से स्पष्ट है कि आवेदक मेसर्स कल्याणी इस्पात लिमिटेड में प्रस्तावित संयंत्र ग्राम कोपेडीह के अंतर्गत आने वाली शासकीय भूमि खसरा नं. 577, 601, 606, 616 एवं ग्राम अंजोरा की शासकीय भूमि खसरा नं. 49 नाला मद की भूमि पर 10 (दस) स्थानों पर कल्वर्ट बनाये जाने हेतु जल संसाधन विभाग से अनापत्ति प्रमाण पत्र जारी किये जाने हेतु नायब तहसीलदार राजनांदगांव के द्वारा प्रतिवेदन प्रस्तुत किया गया है। आवेदित भूमि नाला मद में दर्ज है, परन्तु वर्तमान में नाला नहीं है। प्रस्तावित कल्वर्ट के निर्माण से नाले के पानी के प्रवाह में कोई प्रभाव नहीं पड़ेगा।

उक्त आधार पर अनुविभागीय अधिकारी(रा.) राजनांदगांव द्वारा ग्राम कोपेडीह स्थिति शासकीय भूमि खसरा नं. 577, 601, 606, 616 एवं ग्राम अंजोरा की भूमि खसरा नं. 49 में मेसर्स कल्याणी इस्पात लिमिटेड अपने संयंत्र स्थापना हेतु कल्वर्ट निर्माण किये जाने हेतु अनापत्ति दिया जा सकता है, प्रतिवेदित किया गया है।

प्रकरण में संलग्न दस्तावेजी साक्ष्यों, शासकीय नाले के उपर प्रस्तावित कल्वर्ट के नक्शा का अवलोकन किया, प्रतिवेदनानुसार शासकीय मद की ग्राम कोपेडीह स्थित भूमि खसरा नं. 577, 601, 606, 616 एवं ग्राम अंजोरा की भूमि खसरा नं. 49 जो अभिलेख में नाला मद में दर्ज है, किन्तु मौके पर कोई नाला न होना बताया गया है। चूंकि नाले के दोनों ओर आवेदक कल्याणी इस्पात लिमिटेड की भूमि स्थित है और उस पर संयंत्र स्थापना का कार्य किया जा रहा है, फलस्वरूप दोनों ओर से अपने निजी भूमि पर आने-जाने एवं संयंत्र स्थापना के उद्देश्य से उक्त नाले की भूमि को प्रभावित किये बिना उस पर उपर दर्शाये तालिका अनुसार 10 स्थानों पर कल्वर्ट का निर्माण करना चाहते हैं, जिससे उनका संयंत्र स्थापना के साथ अपनी भूमि पर आवागमन सुगम हो सके एवं शासकीय नाला की उक्त भूमि भी किसी तरह से प्रभावित न हो तथा भविष्य में यदि पानी का बहाव हो, तो वह प्रभावित न हो, इस उद्देश्य से आवेदक द्वारा कल्वर्ट निर्माण हेतु अनापत्ति चाहा गया है।

अतः अनुविभागीय अधिकारी(रा.) राजनांदगांव के प्रतिवेदन से सहमत होते हुये ग्राम कोपेडीह की शासकीय भूमि खसरा नं. 577, 601, 606, 616 एवं ग्राम अंजोरा की शासकीय भूमि खसरा नं. 49 जो कि

अभिलेख में नाला गद में दर्ज है, उक्त नाला तथा उसके प्रवाह को प्रभावित किये बिना रायंत्र की स्थापना हेतु ऊपर तालिका में दर्शाये तथा नक्शा अनुसार 10 स्थानों पर प्रस्तावित कल्वर्ट का निर्माण किये जाने हेतु सशर्त अनापत्ति दी जाती है :-

शर्त :-

1. प्रस्ताव अनुसार उक्त शासकीय भूमि पर केवल 10 स्थानों पर कल्वर्ट का निर्माण किया जावेगा।
2. कल्वर्ट निर्माण से शासकीय नाले की चौड़ाई व पानी का प्रवाह प्रभावित न हो इसका विशेष ध्यान रखा जावेगा।
3. कल्वर्ट निर्माण से पूर्व जल संसाधन विभाग से भी नियमानुसार अनापत्ति लिया जाना आवश्यक होगा।

तदनुसार आवेदक सूचित हो, तत्पश्चात यह प्रकरण नस्तीबद्ध कर अभिलेख कोष्ठ दाखिल करे।

18/06/2025
कलेक्टर,
राजनांदगांव (छ.ग.)



कार्यालय कार्यपालन अभियंता

तांदुला जल संसाधन संभाग

जिला-दुर्ग (छ0ग0)



(E-mail :- cetwdrdg@cgwrdd.in, Govt. ID- cetwdrdg-wrd@cg.gov.in)

(टेलीफोन नं.-0788-4036118)

ज्ञापन क्रमांक...24/06.../तक/अभिमत/2024
प्रति,

दुर्ग, दिनांक 23/12/2024

✓ कल्याणी इस्पात लिमिटेड,

कार्यालय पता- प्रथम मंजिल, मकान नं. 117,

बिल्डिंग नं. N-18, सेक्टर-2, एस.बी.आई. ए.टी.एम. के पास,

अवंती विहार, रायपुर, जिला-रायपुर (छ.ग.) 492001

विषय:- अंजोरा जलाशय क. 1 के नहर (आर.बी.सी) में पुलिया निर्माण के संबंध में।

संदर्भ:- 1. आपका पत्र दिनांक 10.12.2024, प्राप्ति दिनांक 17.12.2024

2. अनु.अधि. जल संसा. उपसंभाग दुर्ग का पत्र क्र.-818/अ.वि.लि. दुर्ग दिनांक 20.12.2024

—000—

उपरोक्त विषयांतर्गत संदर्भित पत्र के संबंध में लेख है कि लघु सिंचाई योजना अंजोरा जलाशय क. 1 के आर.बी.सी. नहर की दोनों ओर इस्पात संयंत्र की भूमि है। कल्याणी इस्पात संयंत्र के द्वारा आवागमन के लिए नहर के ऊपर लगभग 19 मी. चौड़ा पुलिया निर्माण हेतु अनुमति चाही गई है, अनुविभागीय अधिकारी जल संसाधन उपसंभाग दुर्ग द्वारा स्थल निरीक्षण किया गया। निरीक्षण प्रतिवेदन में कल्याणी इस्पात संयंत्र द्वारा नहर की चौड़ाई 10 मी. को छोड़कर पियर निर्माण पश्चात् लाईनिंग नहर के स्थान पर 0.90 मी. X 0.80 मी. का RCC चैनल निर्माण प्रस्तावित किया है। प्रस्तावित कार्य के होने से नहर से सिंचाई करने में कोई कठिनाई नहीं होगी। अतः विभागीय मापदण्ड के अनुसार पुलिया निर्माण करने के लिए कल्याणी इस्पात संयंत्र को सशर्त अनुमति दी जा सकती है।

1. पुलिया निर्माण के दौरान नहर नाली के वाटर वे में किसी भी प्रकार का परिवर्तन न हों।
2. पुलिया निर्माण के दौरान नहर नाली में किसी भी प्रकार की टूट-फूट न हों।
3. पुलिया निर्माण के दौरान नहर नाली में जल प्रदाय के दौरान किसी भी प्रकार का अवरोध न हो।
4. पुलिया निर्माण के दौरान नहर में टूट-फूट हो जानें पर मरम्मत करने की जिम्मेदारी आपकी होगी।
5. पुलिया सार्वजनिक रूप से उपयोग हेतु रहेगा।
6. पुलिया पर विभाग का स्वामित्व बना रहेगा।
7. कार्य प्रारंभ के पूर्व अनुविभागीय अधिकारी, जल संसाधन उपसंभाग दुर्ग को लिखित सूचना देना होगा।
8. निर्माण कार्य संबंधित उपअभियंता के दिशा-निर्देश पर किया जावेगा।

सहपत्र:- ~~शून्य~~ एक नक्शा

कार्यपालन अभियंता
तांदुला जल संसाधन संभाग
दुर्ग (छ.ग.)


पृ० क्रमांक/तक./अभिमत/2024
प्रतिलिपि:-

दुर्ग, दिनांक/12/2024


अनुविभागीय अधिकारी, जल संसाधन उपसंभाग दुर्ग को उनके पत्र क्रं. 818/अ.वि.लि./दुर्ग दिनांक 20.12.2024 के संदर्भ में सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

सहपत्र:- शून्य।


कार्यपालन अभियंता
तांदुला जल संसाधन संभाग
दुर्ग (छ.ग.)



PLAN



SECTIONAL ELEVATION X-X'



SECTION AA'

CONCEPTUAL BRIDGE PLAN OF 1.2M WIDTH
CHANNEL CANAL AT KALYANI ISPAT Ltd.
KOPEDIH, RAJNANDGAON (C.G.)

NOTE:
1. DO NOT SCALE WORK TO WRITTEN
DIMENSIONS ONLY
2. IN CASE OF ANY DISCREPANCY, CONTACT
KANKARIYA CONSULTANTS
3. KANKARIYA CONSULTANTS WILL NOT TAKE
ANY LIABILITY IN ANY PART OF DRAWING, THIS IS
FOLLOWED ON SITE

CLIENT NAME
KALYANI ISPAT
DRAWING NO
ST/3
DESIGNED BY
A/KUSHAL KANKARIYA
CHECKED BY
P.C. VIJAY KANKARIYA




Assistant Engineer
Tandula W.R. Division Durg (C.G.)

Assistant Engineer
Tandula W.R. Division Durg (C.G.)

Sub-Divisional Officer
Water Resources Sub-Division
Durg (C.G.)
Executive Engineer
Water Resources
Division Durg (Chhattisgarh)



KANKARIYA CONSULTANTS
SHOP NO. 11,12 FARISHTA COMPLEX
STATION ROAD DURG (C.G.)
Mob no :- 9325029988, 7000320943



CONCEPTUAL BRIDGE PLAN OF 1.2M WIDTH
CHANNEL CANAL AT KALYANI ISPAT Ltd.
KOPEDIH, RAJNANDGAON (C.G.)

NOTE:
1. DO NOT SCALE WORK TO WRITTEN DIMENSIONS ONLY.
2. IN CASE OF ANY DISCREPANCY, CONTACT KANKARIYA CONSULTANTS.
3. KANKARIYA CONSULTANTS WILL NOT TAKE ANY LIABILITY IF ANY PART OF DRAWING IS NOT FOLLOWED CAREFULLY.


CLIENT NAME KALYANI ISPAT	DESIGNED BY A. KUSHAL KANKARIYA	DRAFTED BY AGITK
DRAWING NO. ST/3	CHECKED BY E. VIJAY KANKARIYA	PURPOSE FOR TENDER FOR CONSTRUCTION

Assistant Engineer
Tandula W.R. Division Durg (C.G.)

Assistant Engineer
Tandula W.R. Division Durg (C.G.)

Division Officer
Water Resources Sub-Division
Durg (C.G.)

Executive Engineer
Tandula W.R. Division Durg (Chhattisgarh)



KANKARIYA CONSULTANTS
SHOP NO. 11, 12 FARISHTA COMPLEX
STATION ROAD DURG (C.G.)
Mob no. - 9329029958, 7000320943

o/c

छत्तीसगढ़ शासन
राज्य निवेश प्रोत्साहन बोर्ड

उद्योग भवन, भू-तल, रिंग रोड नं. 1, जलोचारा रायपुर, छत्तीसगढ़ - 492006
दूरभाष: 4066351, 4066352, फैक्स: 4066315, ईमेल: sphcg@gov.in, sphcbhattisgarh@gmail.com

क्रमांक / 1114 / एसआईपीबी / 2025 / 881

रायपुर, दिनांक 31/10/2025

प्रति

साथिव,

छत्तीसगढ़ शासन,

जल ससाधन विभाग,

मंत्रालय, नवा रायपुर, अटलनगर

विषय :- जल आबंटन आवेदन क्र० WA00356 को निरस्त करने तथा जल आबंटन आवेदन क्र० WA00593 को जल उपयोग की अनुमति बाबत।

संदर्भ :- (1) इकाई का पत्र दिनांक 02/09/2025

(2) इस कार्यालय का पत्र क्रमांक 1114/एसआईपीबी/2020/933, दिनांक 29.09.2022

विषयांतर्गत संदर्भित पत्र क्रमांक-2 से मेसर्स कल्याणी इस्पात लिमिटेड द्वारा ग्राम-कोपेडीह, तहसील व जिला-राजनादगाव में प्रस्तावित स्पज आधारन संयंत्र की स्थापना शिवनाथ नदी से 1.606 एमसीएम/प्रतिवर्ष हेतु अनुशसा सहित जल आबंटन का ऑनलाइन आवेदन प्रेषित किया गया है।

निवेशक ने संदर्भित पत्र क्रमांक-1 से उक्त आवेदन को निरस्त कर नवीन आवेदन क्र० WA00593 पर कार्यवाही करने का अनुरोध किया गया है।

अतः निवेशक के अनुरोध पर जल आबंटन आवेदन क्रमांक WA00356 को निरस्त करने हुये नवीन जल आबंटन आवेदन क्रमांक WA00593 शिवनाथ नदी से 13.651 एमसीएम/प्रतिवर्ष को जल उपयोग की अनुमति/स्वीकृति किये जाने अनुशसा सहित आवश्यक कार्यवाही हेतु सलग्न प्रेषित है।

सलग्न - उपरोक्तानुसार।

(प्रवीण शुक्ला)

अपर संचालक

पृ क्रमांक / 1114 / एसआईपीबी / 2025 /
प्रतिलिपि -

रायपुर, दिनांक / 10 / 2025

प्रबध संचालक, मेसर्स कल्याणी इस्पात लिमिटेड, प्रथम तल, मकान नं. 117, विन्डिंग नं. एन-18, सेक्टर-2, एसबीआई एटीएम के पास अवती विहार, रायपुर (छत्तीसगढ़) की ओर सूचनार्थ प्रेषित।

अपर संचालक

31-10-25
जल ससाधन विभाग,
मंत्रालय, नवा रायपुर (उ.प.)



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD. (LAB DIVISION)

An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,
Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/RM/300525/A1

Issued Date-30.05.2025

AMBIENT AIR QUALITY MONITORING REPORT

Name & Address of the Client	M/s Kalyani Ispat Ltd., Kh No.- 585/1, Kopedeesh, Rajnandgaon, Chhatisgarh
Reference No.	CEMC-300525A1
Nature of Sampling	Ambient Air Sample
Sampling By	Mr. Bhakta Hari Das
Instrument Used	Respirable Dust Sampler, Fine Particulate Sampler, CO Meter and Gaseous Attachment
Location of Sampling	AAQM St.-1 (WHRB)
Sampling Date	21.05.2025 to 22.05.2025

ANALYSIS RESULT

Sl. No.	Parameters	Result	Standard as per NAAQ*	Methods of Analysis
1	Particulate Matter (PM ₁₀) µg/m ³	70.8	100	IS: 5182 (Part-23)
2	Particulate Matter (PM _{2.5}) µg/m ³	34.4	60	IS: 5182 (Part-24)
3	Sulphur Dioxide (SO ₂) µg/m ³	9.2	80	IS: 5182 (Part-2)
4	Nitrogen Oxides (NO _x) µg/m ³	14.4	80	IS: 5182 (Part-6)
5	Carbon Monoxide (CO) mg/m ³	0.23	4.0	IS: 5182 (Part-10)
6	Ozone (O ₃) µg/m ³	<10	100	IS: 5182 (Part-9)
7	Ammonia (NH ₃) µg/m ³	<20	400	IS: 5182 (Part-25)
8	Lead (Pb) µg/m ³	<0.05	1.0	IS: 5182 (Part-22)
9	Nickel (Ni) ng/m ³	<3.2	20	IS: 5182 (Part-26)
10	Arsenic (As) ng/m ³	<0.1	6	As per CPCB method followed by AAS
11	Benzene (C ₆ H ₆) µg/m ³	<5	5	IS: 5182 (Part-11)
12	Benzo(a)Pyrene (BaP) ng/m ³	<1	1	IS: 5182 (Part-12)


*NAAQS (National Ambient Air Quality Standard as per 18th Nov, 2009 Gatt. Notification)

End of Report

DDP
Authorized Signatory

Notes:

- The results relate only to the sample tested
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



CEMC PVT. LTD., NABET(QCI) Accredited Category 'A' Consultant Organization.

Regd. Office: Plot No. 522/3458, Pahal, Bhubaneswar-752101, Odisha, India, Mobile: 9861032826

E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemcpl.com

Deals with Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS & GIS, Hydrological Studies, Socio-economic Studies, DGPS & ETS Survey.



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD. (LAB DIVISION)

An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,
Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in, Mobile: 9439050689

Report No. - CEMC/RM/300525/A2

Issued Date-30.05.2025

AMBIENT AIR QUALITY MONITORING REPORT

Name & Address of the Client	M/s Kalyani Ispat Ltd., Kh No.- 585/1, Kopedeeh, Rajnandgaon, Chhatisgarh
Reference No.	CEMC-300525A2
Nature of Sampling	Ambient Air Sample
Sampling By	Mr. Bhakta Hari Das
Instrument Used	Respirable Dust Sampler, Fine Particulate Sampler, CO Meter and Gaseous Attachment
Location of Sampling	AAQMSt.-2 (Main Gate)
Sampling Date	21.05.2025 to 22.05.2025

ANALYSIS RESULT

Sl. No.	Parameters	Result	Standard as per NAAQ*	Methods of Analysis
1	Particulate Matter (PM ₁₀) µg/m ³	77.3	100	IS: 5182 (Part-23)
2	Particulate Matter (PM _{2.5}) µg/m ³	39.5	60	IS: 5182 (Part-24)
3	Sulphur Dioxide (SO ₂) µg/m ³	15.2	80	IS: 5182 (Part-2)
4	Nitrogen Oxides (NO _x) µg/m ³	19.4	80	IS: 5182 (Part-6)
5	Carbon Monoxide (CO) mg/m ³	0.3	4.0	IS: 5182 (Part-10)
6	Ozone (O ₃) µg/m ³	<10	100	IS: 5182 (Part-9)
7	Ammonia (NH ₃) µg/m ³	<20	400	IS: 5182 (Part-25)
8	Lead (Pb) µg/m ³	<0.05	1.0	IS: 5182 (Part-22)
9	Nickel (Ni) ng/m ³	<3.2	20	IS: 5182 (Part-26)
10	Arsenic (As) ng/m ³	<0.1	6	As per CPCB method followed by AAS
11	Benzene (C ₆ H ₆) µg/m ³	<5	5	IS: 5182 (Part-11)
12	Benzo(a)Pyrene (BaP) ng/m ³	<1	1	IS: 5182 (Part-12)


*NAAQS (National Ambient Air Quality Standard as per 18th Nov, 2009 Gatt. Notification)

End of Report

ppdas
Authorized Signatory

Notes:

- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



CEMC PVT. LTD., NABET(QCI) Accredited Category 'A' Consultant Organization.

Regd. Office: Plot No. 522/3458, Pahal, Bhubaneswar-752101, Odisha, India, Mobile: 9861032826

E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemcpl.com

Deals with Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS & GIS, Hydrological Studies, Socio-economic Studies, DGPS & ETS Survey.



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD. (LAB DIVISION)

An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,
Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/RM/300525/A3

Issued Date-30.05.2025

AMBIENT AIR QUALITY MONITORING REPORT

Name & Address of the Client	M/s Kalyani Ispat Ltd., Kh No.- 585/1, Kopedeoh, Rajnandgaon, Chhatisgarh
Reference No.	CEMC-300525A3
Nature of Sampling	Ambient Air Sample
Sampling By	Mr. Bhakta Hari Das
Instrument Used	Respirable Dust Sampler, Fine Particulate Sampler, CO Meter and Gaseous Attachment
Location of Sampling	AAQMSt.-3 (Gate-2)
Sampling Date	21.05.2025 to 22.05.2025

ANALYSIS RESULT

Sl. No.	Parameters	Result	Standard as per NAAQ*	Methods of Analysis
1	Particulate Matter (PM ₁₀) µg/m ³	71.6	100	IS: 5182 (Part-23)
2	Particulate Matter (PM _{2.5}) µg/m ³	36.5	60	IS: 5182 (Part-24)
3	Sulphur Dioxide (SO ₂) µg/m ³	10.7	80	IS: 5182 (Part-2)
4	Nitrogen Oxides (NO _x) µg/m ³	<9	80	IS: 5182 (Part-6)
5	Carbon Monoxide (CO) mg/m ³	<0.05	4.0	IS: 5182 (Part-10)
6	Ozone (O ₃) µg/m ³	<10	100	IS: 5182 (Part-9)
7	Ammonia (NH ₃) µg/m ³	<20	400	IS: 5182 (Part-25)
8	Lead (Pb) µg/m ³	<0.05	1.0	IS: 5182 (Part-22)
9	Nickel (Ni) ng/m ³	<3.2	20	IS: 5182 (Part-26)
10	Arsenic (As) ng/m ³	<0.1	6	As per CPCB method followed by AAS
11	Benzene (C ₆ H ₆) µg/m ³	<5	5	IS: 5182 (Part-11)
12	Benzo(a)Pyrene (BaP) ng/m ³	<1	1	IS: 5182 (Part-12)

*NAAQS (National Ambient Air Quality Standard as per 18th Nov, 2009 Gatt. Notification)

End of Report

B. P. Das
Authorized Signatory

Notes:

Seal of



- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

CEMC PVT. LTD., NABET(QCI) Accredited Category 'A' Consultant Organization.

Regd. Office: Plot No. 522/3458, Pahal, Bhubaneswar-752101, Odisha, India, Mobile: 9861032826

E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemcpl.com

Deals with Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS & GIS, Hydrological Studies, Socio-economic Studies, DGPS & ETS Survey.



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD. (LAB DIVISION)

An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,

Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in, Mobile: 9439050689

Report No. - CEMC/RM/300525/A4

Issued Date-30.05.2025

AMBIENT AIR QUALITY MONITORING REPORT

Name & Address of the Client	M/s Kalyani Ispat Ltd., Kh No.- 585/1, Kopedeeh, Rajnandgaon, Chhatisgarh
Reference No.	CEMC-300525A4
Nature of Sampling	Ambient Air Sample
Sampling By	Mr. Bhakta Hari Das
Instrument Used	Respirable Dust Sampler, Fine Particulate Sampler, CO Meter and Gaseous Attachment
Location of Sampling	AAQMSt.-4 (Pellet Hurtment)
Sampling Date	21.05.2025 to 22.05.2025

ANALYSIS RESULT

Sl. No.	Parameters	Result	Standard as per NAAQ*	Methods of Analysis
1	Particulate Matter (PM ₁₀) µg/m ³	69.6	100	IS: 5182 (Part-23)
2	Particulate Matter (PM _{2.5}) µg/m ³	33.8	60	IS: 5182 (Part-24)
3	Sulphur Dioxide (SO ₂) µg/m ³	8.2	80	IS: 5182 (Part-2)
4	Nitrogen Oxides (NO _x) µg/m ³	11.4	80	IS: 5182 (Part-6)
5	Carbon Monoxide (CO) mg/m ³	0.14	4.0	IS: 5182 (Part-10)
6	Ozone (O ₃) µg/m ³	<10	100	IS: 5182 (Part-9)
7	Ammonia (NH ₃) µg/m ³	<20	400	IS: 5182 (Part-25)
8	Lead (Pb) µg/m ³	<0.05	1.0	IS: 5182 (Part-22)
9	Nickel (Ni) ng/m ³	<3.2	20	IS: 5182 (Part-26)
10	Arsenic (As) ng/m ³	<0.1	6	As per CPCB method followed by AAS
11	Benzene (C ₆ H ₆) µg/m ³	<5	5	IS: 5182 (Part-11)
12	Benzo(a)Pyrene (BaP) ng/m ³	<1	1	IS: 5182 (Part-12)

*NAAQS (National Ambient Air Quality Standard as per 18th Nov, 2009 Gatt. Notification)


End of Report

B. P. Das

Authorized Signatory

Notes:

- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



CEMC PVT. LTD., NABET(QCI) Accredited Category 'A' Consultant Organization.

Regd. Office: Plot No. 522/3458, Pahal, Bhubaneswar-752101, Odisha, India, Mobile: 9861032826

E-mail: cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemcpl.com

Deals with Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS & GIS, Hydrological Studies, Socio-economic Studies, DGPS & ETS Survey.



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD. (LAB DIVISION)

An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,
Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/RM/300525/F1

Issued Date-30.05.2025

FUGITIVE MONITORING REPORT

Name & Address of the Client	M/s Kalyani Ispat Ltd., Kh No.- 585/1, Kopedeeh, Rajnandgaon, Chhatisgarh
Reference No.	CEMC-300525F1
Nature of Sampling	Fugitive Air Sample
Sampling By	Mr. Bhakta Hari Das
Instrument Used	Respirable Dust Sampler
Location of Sampling	Near PPP Cool Shed
Sampling Date	22.05.2025

ANALYSIS RESULT

Sl. No.	Items	Unit	Result	Testing Method
01	Suspended Particulate Matter (SPM)	$\mu\text{g}/\text{m}^3$	241	IS: 5182 (Part-4)

N.B. Standard as per Environment (Protection Act) 3rd Amendment Rules-2012 by MoEF & CC. 2000 $\mu\text{g}/\text{m}^3$ at 10mtr distance from the Source.

End of Report

B.P.Das
Authorized Signatory

Seal of Laboratory

Notes:


- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

CEMC PVT. LTD., NABET(QCI) Accredited Category 'A' Consultant Organization.

Regd. Office: Plot No. 522/3458, Pahal, Bhubaneswar-752101, Odisha, India, Mobile: 9861032826

E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemcpl.com

Deals with Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS & GIS, Hydrological Studies, Socio-economic Studies, DGPS & ETS Survey.



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD. (LAB DIVISION)

An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,

Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/RM/300525/F2

Issued Date-30.05.2025

FUGITIVE MONITORING REPORT

Name & Address of the Client	M/s Kalyani Ispat Ltd., Kh No.- 585/1, Kopedeeh, Rajnandgaon, Chhatisgarh
Reference No.	CEMC-300525F2
Nature of Sampling	Fugitive Air Sample
Sampling By	Mr. Bhakta Hari Das
Instrument Used	Respirable Dust Sampler
Location of Sampling	Near S.F Yard
Sampling Date	22.05.2025


ANALYSIS RESULT

Sl. No.	Items	Unit	Result	Testing Method
01	Suspended Particulate Matter (SPM)	$\mu\text{g}/\text{m}^3$	312	IS: 5182(Part-4)

N.B. Standard as per Environment (Protection Act) 3rd Amendment Rules-2012 by MoEF & CC. 2000 $\mu\text{g}/\text{m}^3$ at 10ms distance from the Source.

End of Report


Authorized Signatory



Notes:

- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

CEMC PVT. LTD., NABET(QCI) Accredited Category 'A' Consultant Organization.

Regd. Office: Plot No. 522/3458, Pahal, Bhubaneswar-752101, Odisha, India, Mobile: 9861032826

E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemcpl.com

Deals with Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS & GIS, Hydrological Studies, Socio-economic Studies, DGPS & ETS Survey.



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD. (LAB DIVISION)

An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,

Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in, Mobile: 9439050689

Report No. - CEMC/RM/300525/F3

Issued Date-30.05.2025

FUGITIVE MONITORING REPORT

Name & Address of the Client	M/s Kalyani Ispat Ltd., Kh No.- 585/1, Kopedeeh, Rajnandgaon, Chhatisgarh
Reference No.	CEMC-300525F3
Nature of Sampling	Fugitive Air Sample
Sampling By	Mr. Bhakta Hari Das
Instrument Used	Respirable Dust Sampler
Location of Sampling	Near DRI
Sampling Date	22.05.2025


ANALYSIS RESULT

Sl. No.	Items	Unit	Result	Testing Method
01	Suspended Particulate Matter (SPM)	$\mu\text{g}/\text{m}^3$	378	IS: 5182 (Part-4)

N.B. Standard as per Environment (Protection Act) 3rd Amendment Rules-2012 by MoEF & CC. 2000 $\mu\text{g}/\text{m}^3$ at 10ms distance from the Source.

End of Report

P. D. Das
Authorized Signatory
Notes:




- The results relate only to the sample tested
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

CEMC PVT. LTD., NABET(QCI) Accredited Category 'A' Consultant Organization.

Regd. Office: Plot No. 522/3458, Pahal, Bhubaneswar-752101, Odisha, India, Mobile: 9861032826

E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemcpl.com

Deals with Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS & GIS, Hydrological Studies, Socio-economic Studies, DGPS & ETS Survey.



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD. (LAB DIVISION)

An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,
Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/RM/300525/F4

Issued Date-30.05.2025

FUGITIVE MONITORING REPORT


Name & Address of the Client	M/s Kalyani Ispat Ltd., Kh No.- 585/1, Kopedeeh, Rajnandgaon, Chhatisgarh
Reference No.	CEMC-300525F4
Nature of Sampling	Fugitive Air Sample
Sampling By	Mr. Bhakta Hari Das
Instrument Used	Respirable Dust Sampler
Location of Sampling	Near Pellet Plant
Sampling Date	22.05.2025


ANALYSIS RESULT

Sl. No.	Items	Unit	Result	Testing Method
01	Suspended Particulate Matter (SPM)	$\mu\text{g}/\text{m}^3$	351	IS: 5182 (Part-4)

N.B. Standard as per Environment (Protection Act) 3rd Amendment Rules-2012 by MoEF & CC. 2000 $\mu\text{g}/\text{m}^3$ at 10ms distance from the Source.

End of Report


Authorized Signatory
Notes:



- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD. (LAB DIVISION)

An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,
Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/RM/300525/N

Issued Date-30.05.2025

NOISE LEVEL MONITORING REPORT

Issued to	M/s Kalyani Ispat Ltd., Kh No.- 585/1, Kopedeeh, Rajnandgaon, Chhatisgarh
Sample Description	Noise Level
Sample Drawn by	Mr. Bhakta Hari Das
Weather Condition	Clear
Monitoring Period	21.05.2025 to 22.05.2025
Reference No.	CEMC-300525N
Instrument Used	Noise Meter

SL No.	Location	NL Day Time dB (A)	NL Night Time dB (A)
1.	Pellet Plant	72.5	62.2
2.	Pellet Hurtment	70.4	58.3
3.	WHRB	70.2	60.1
4.	DRI	71.1	63.0

NATIONAL STANDARD OF NOISE LEVEL


Area Code	Category of Area/Zone	Noise Level (dB(A))	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

BPDAS

Authorized Signatory

Notes:

- The result given above related to the tested sample, as received, is the customer asked for the above test only.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



CEMC PVT. LTD., NABET(QCI) Accredited Category 'A' Consultant Organization.

Regd. Office: Plot No. 522/3458, Pahal, Bhubaneswar-752101, Odisha, India, Mobile: 9861032826

E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemcpl.com

Deals with Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS & GIS, Hydrological Studies, Socio-economic Studies, DGPS & ETS Survey.

KALYANI ISPAT LIMITED

Registered Office : House No.- 117, Building No – N-18, First Floor, Sector-2, Near SBI ATM, Avanti Vihar, Raipur, Chhattisgarh, India- 492001 Phone: (06582) 256661, Fax : 91-6582-256442,
Email : rproffice@kalyaniispat.com
CIN: U27100CT2021PLC012353

Dated : 12.11.2024

**ENVIRONMENTAL POLICY
OF
KALYANI ISPAT LIMITED**

Kalyani Ispat Limited located at village – Kopedih & Anjora, P.O. – Kopedih in the Rajnandgaon district of Chhattisgarh aspires to become a globally admired organization that enhances the quality of life through sustainable development with great care for the environment and needs of the society. It is also committed to protect and improve the environment and abide by the laws & regulations concerning the environment.

The Company has laid down Environmental Policy duly approved by the Board of Directors in their meeting held on 24.08.2024. The Environmental Policy of the Company prescribes for standard operating procedures to have proper checks and balances and to bring into focus any infringement/ deviation/ violation of the environmental/ forest/ wildlife norms or conditions or of stakeholders. The copy of the board resolution along with Half Yearly Report in this regard shall be submitted to the MoEF & CC.


Our Plant is committed:

- To work towards Environment Protection, Prevention of environmental pollution, and improvement of Environment around the units.
- To adopt sound Environmental Management practices to achieve sustainable growth.
- To comply with all applicable statutory and other norms/ requirements which shall include prevention of pollution of surrounding habitation by continuous monitoring and adopting suitable measures for environmental protection.
- To implement systems to deal with environmental issues, ensuring compliance and reporting.
- To evaluate effectiveness of system through management reviews.
- To create environmental awareness among the employees and the local communities through pro-active training and communication.

For Kalyani Ispat Limited

Place: Rajnandgaon


(PRANAYA KUMAR DEO)
Director
DIN - 01566705



राजध

अमृत संदेश

2

रायपुर, शुक्रवार 10 मई 2024

मकान नं. 79, गुलमोहर पार्क,
राम नगर, रायपुर (छ.ग.)
492001

जोषिका, रायपुर, छ.ग. 492001
जोषिका, रायपुर, छ.ग. 492001
जोषिका, रायपुर, छ.ग. 492001

मकान नं. 79, गुलमोहर पार्क,
राम नगर, रायपुर (छ.ग.)
492001

मकान नं. 79, गुलमोहर पार्क,
राम नगर, रायपुर (छ.ग.)
492001

मकान नं. 79, गुलमोहर पार्क,
राम नगर, रायपुर (छ.ग.)
492001

मकान नं. 79, गुलमोहर पार्क,
राम नगर, रायपुर (छ.ग.)
492001

मकान नं. 79, गुलमोहर पार्क,
राम नगर, रायपुर (छ.ग.)
492001

मकान नं. 79, गुलमोहर पार्क,
राम नगर, रायपुर (छ.ग.)
492001

मकान नं. 79, गुलमोहर पार्क,
राम नगर, रायपुर (छ.ग.)
492001

मकान नं. 79, गुलमोहर पार्क,
राम नगर, रायपुर (छ.ग.)
492001

मकान नं. 79, गुलमोहर पार्क,
राम नगर, रायपुर (छ.ग.)
492001

मकान नं. 79, गुलमोहर पार्क,
राम नगर, रायपुर (छ.ग.)
492001

मकान नं. 79, गुलमोहर पार्क,
राम नगर, रायपुर (छ.ग.)
492001

मकान नं. 79, गुलमोहर पार्क,
राम नगर, रायपुर (छ.ग.)
492001

PUBLIC NOTICE REGARDING GRANT OF ENVIRONMENT CLEARANCE

The Ministry of Environment, Forest and Climate Change, Government of India, has granted Environment Clearance vide its EC Identification No. EC23A1001CGS286032N Dated 08.05.2024 for our proposed plant located at Village- Kopedih, Tehsil & District-Rajnandgaon (C.G.) for implementation of Greenfield project of Sponge Iron 660000 TPA, MS Billets 465696 TPA, Rolled Steel Products through Hot Charging & Reheating Furnace 478500 TPA; Iron Ore Pellets 1.2 MTPA, SAF to produce SiMn 36000 TPA and/or FeMn 46000 TPA; and/or FeSi 22,500 TPA and/or Pig Iron 63000 TPA, Captive Power of 75MW (50MW thru WHRB & 25MW thru CFBC); Pipe Mill 155100 TPA; Galvanized Mill 155100 TPA; and Fly Ash Bricks 41500 TPA; The copy of the same is available at Ministries website (www.parivesh.nic.in) as well as RO (Durg) and HO (Nava Raipur) of Chhattisgarh Environment Conservation Board.

Place: Rajnandgaon (C.G.)
Date: 09.05.2024

M/s. Kalyani Ispat Limited
Village-Kopedih, Tehsil & District-Rajnandgaon (C.G.)

NOTICE

U/s 72 OF THE INDIAN PARTNERSHIP ACT, 1932

Notice is hereby given that the following changes have occurred in M/s GUJRAT MILL STORES, M.G. ROAD RAIPUR (C.G.), Shri Asgar Ali retired from the partnership w.e.f. 31.03.1994.

योगासन स्वस्थ और अनुशासित बनाता है: साहू

गुरुदेवों के स्थित कोयलेन में दस्तोतरी
सहित स्वस्थ अथवा अपने वेश अभिभावक
के माध्यम से उपस्थित होकर प्रस्तुत कर
सकते हैं। बाद के किसी दावा या आपत्ति
पर विचार किया जाना संभव नहीं होगा।
जहाँ: सूचना पाने।

राजस्थान विरीक्षक
रायपुर 04

पहचाना जावे।

बाबू भाई पटेल

86 जीएच आर के पटेल एंड

कम्पनी सरदार टिम्बर जॉर्ज

भनपुरी रायपुर (छ.ग.) 492001

न्यायालय तहसीलदार आरंग,
जिला रायपुर (छ.ग.)
ईशतदार

राजस्थान प्रकरण क्रमांक./व 121

ग्राम - भैसा

एतद् द्वारा सनसाधारण को

सूचित किया जाता है कि आवेदक रायपुरी
नाहू पिता श्री पुनितराय साहू ग्राम भैसा
तहसील आरंग, दबास आवेदन प्रस्तुत कर
अपने पुत्री मिता साहू के जन्म/मृत्यु
दिनांक 05.11.1992 है, का पंजीयन
करने हेतु पंजीयक जन्म/मृत्यु को आदेश
जारी करने की मांग किया है, ताकि
जन्म/मृत्यु का प्रमाण पत्र आवेदक को प्राप्त
हो सके।

उपरोक्त संबंध में जिस किसी व्यक्ति को
दावा/ आपत्ति हो वो वे इस न्यायालय में
दिनांक 20.05.2024 तक आपत्ति प्रस्तुत
कर सकते हैं। नियत तिथि के बाद प्राप्त
आपत्ति पर कोई विचार नहीं किया
जावेगा।

न्यायालय तहसीलदार आरंग,
जिला रायपुर (छ.ग.)
ईशतदार

राजस्थान प्रकरण क्रमांक./व 121

ग्राम - भैसा

एतद् द्वारा सनसाधारण को

सूचित किया जाता है कि आवेदक
जिलाधर पिता श्री ग्राम भैसा तहसील
आरंग, दबास आवेदन प्रस्तुत कर अपने
पुत्री कुमकुम के जन्म/मृत्यु
दिनांक 16.05.2013 है, का पंजीयन
करने हेतु पंजीयक जन्म को आदेश जारी करने
की मांग किया है, ताकि जन्म का प्रमाण पत्र
आवेदक को प्राप्त हो सके।

उपरोक्त संबंध में जिस किसी व्यक्ति को
दावा/ आपत्ति हो वो वे इस न्यायालय में
दिनांक 20.05.2024 तक आपत्ति प्रस्तुत
कर सकते हैं। नियत तिथि के बाद प्राप्त
आपत्ति पर कोई विचार नहीं किया
जावेगा।

साथ 5 छात्राओं ने बनाया टॉप टेन में स्थान



हायर सेकण्डरी परीक्षा में कुल 12734 पंजीकृत हुये। इनमें से 5343 बालक, 7278 बालिकायें कुल 12621 परीक्षार्थी

ई भगवान
समं तिलक
नागरिक
प्रसादिकल
नगर के
भवन में
लोक स्थित
न्यापण कर
हार्ड सहाय

यथावत कोरिया के सरकारी अस्पताल में डॉक्टर के पद पर कार्यरत हैं। बुधवार को वह परिवार के साथ कार क्रमांक सीजी 10 बीवीयू 1042 से कोरिया से बिलसपुर जा रही थी। शुभम लगभग साढ़े पांच बजे गुरसीया के पास स्वराज माजरा क्रमांक सीजी 12 बीबी 7393 के चालक ने उसकी कार को ठोकर मार दी। हादसे में श्रुति ठीी कार अनियंत्रित हो गई और सड़क किनारे रेलिंग से जा टकराई। घटना में कार में सवार सभी बाल-बाल बच गए। बताया जा रहा है कि एक बच्चे को मामूली घोट आई है। स्थानीय लोगों ने पिकअप को रोकवाया और चालक को पकड़ा। पूछताछ में उसने अपना नाम सतीश यादव निवासी गीतवासी चौरभट्टी बताया, जबकि वाहन स्वामी का नाम धर्मेन्द्र कुमार बताया जा रहा है।

बलोदाबाजार, 10 मई (हरण) जिला स्टाफ विकास बोर्ड की बैठक में जेल बलोदाबाजार में परिरूढ़ 65 बंदियों का आयुर्वेद पद्धति से इलाज किया गया। बंदियों एवं जेल स्टाफ पुराना सर्दी खासी, चर्मरोग, उदररोग, क्लड प्रेसर, शूगर रोग का आयुर्वेद पद्धति से रहन-सहन, खान-पान पथ्य-अपथ्य की जानकारी एवं दवाई दी गई। जिला आयुर्वेद अधिकारी डॉ. गोदाधरी पैकरा ने बताया कि संचालनालय आयुष के निर्देशानुसार प्रदेश के समस्त जेलों में स्वास्थ शिबिरों का आयोजन परिरूढ़ बंदियों के समुचित उपचार व्यवस्था हेतु निर्देशित किया गया है। इस अवसर पर शिबिर में वरिष्ठ चिकित्सक डॉ. एन. एस. ध्रुव, फर्मासिस्ट विनोद कुरं, औषधालय सेवक योगेंद्र गेंड्रे उपस्थित रहे।

लिए दिया। धन्यवाद

ताओं के प्रति जताया आभार

के साथ कार्य से कक्षा मिलाकर मतदान की इस प्रक्रिया को निष्पक्ष-शांतिपूर्ण ढंग से संपन्न कराने में अपनी महत्वपूर्ण भूमिका निभाई है। उन्होंने सभी अधिकारी-कर्मचारियों को इसके लिए अपनी बधाई और शुभकामनाएं दी।

उन्होंने चुनाव जैसे राष्ट्रीय महत्व के कार्य में सहयोग करने वाले शासकीय अधिकारियों, कर्मचारियों, सुरक्षा बलों, होमगार्ड सहित अन्य सभी व्यक्तियों जिन्होंने सम्प्रतिपूर्वक और निष्पक्ष स्वतंत्र तथा शांतिपूर्ण चुनाव में अपना अमूल्य सहयोग दिया है, कर्नलवर चौहान ने सभी के प्रति धन्यवाद ज्ञापित करते हुए उनका

आभार जाता है। जिला निर्वाचन अधिकारी के एल चौहान ने इलेक्ट्रॉनिक और प्रिंट, सोशल मीडिया के प्रतिनिधियों के द्वारा चुनाव कार्य से संबंधित महत्वपूर्ण सूचनाओं को अभ्यर्थियों, आम जनतक तथा पहचाने तथा चुनाव कार्य में सहयोग के लिए उनके प्रति अपना आभार जाता है। उन्होंने कहा कि निर्वाचन संबंधी प्रकरण को जानकारी लोगों तक पहुंचाने के साथ-साथ बलदायाजार भावपरा किले में चुनाव के दौरान कोई भ्रामक खबर या अफवाह को फैलाने से रोकने में जिला प्रशासन को मीडिया का बेहतर सहयोग मिला।


पर्यावरण स्वीकृति बाबत आम सूचना

एतद् द्रष्टुं सर्वे साधारणः को सूचितः किया जाता है कि भारत सरकार पर्यावरण, वन एवं जलवायु परिवर्तन विभाग ने ईआईए और सूचना २००६ के अंतर्गत अपने ईडी प्रस्ताव नंबर EC23A1001CG5286032N द्वारा ०८.०५.२०२४ के द्वारा हमारे प्राय-प्रदेशीय, हजाराबाई एवं प्लिन-प्रायद्वीप (राज्य) में परम्परागत ग्रीन्डोल्ड प्रयोग करने के तहत एक आग्रह समता ६,६०,००० टन/वर्ष, एमएच, बिस्लेस समता ४,६५,६९६ टन/वर्ष, रिग्रेड सील ड्रोइटर ३७ टन/वर्ष और सिमेंट शिफ्टिंग बेल्ट समता ४,७८,५०० टन/वर्ष, आयत और फिल्टर समता १२ मिलियन टन/वर्ष, एसएचएस से ग्रेडोथ का गैसीय समता ३६,००० टन/वर्ष और यात्रा फरे सिलिको समता २२,५०० टन/वर्ष और यात्रा मिम आधार समता ६३,००० टन/वर्ष, कैथिय पावर ७५ मेगावट (५० मेगावट ३७ इन्वर्टर प्रकाशक एवं २५ मेगावट ३७ तोपप्रकाशक), धान मिल समता १,५५,१०० टन/वर्ष, गैवेनीआइ मिल समता १,५५,१०० टन/वर्ष, एवं फ्लाईअश सिक्स समता ४१,५०० टन/वर्ष को प्रयोग करने की आवश्यकता व्यक्तित प्रत्यक्ष किया है जिसको इसी पूर्वपरिवर्ण वन एवं जलवायु परिवर्तन मंत्रालय को वेबसाइट (www.parivesh.nic.in) तथा प्रतिनिधि हस्तक्षेप प्रयोगकर संकेतन मुद्रांक, क्षेत्रीय कार्यालय दुर्ग तथा मुख्यलय अठल भवन, नया दिल्ली में भी उपलब्ध कर लेने लायक है।

स्थान: - राजनंदगाव (उ.प्र.)

K-174- 09.05.2024


मेसर्स कल्याणी इस्पात लिमिटेड
ग्राम-कोपेईह, तहसील एवं जिला-दजनादगांव
(छ.ग.)



बर्तने में पूर्ण नजर रखी है। गाँव में सुरक्षा की कम खतरा ग्रामीणों को विश्वास में लिया जा रहा है। छात्रागण में कर्मचारी मिले की भी नकल प्रगति मिली जा रही है यह प्रश्न पर कर्मचारी विद्यार्थन के स्वीकार्यता बताने जा रही है। रोजगार विभाग के अजीमाद से काम में गंभीरता मिली विभाग

मन्त्रं च विना, यत्तु न विना, यत्तु न विना, यत्तु न विना

[illegible]



CIN : U27100CT2021PLC012353
GSTIN: 22AAJCK1303L12U

क्रमांक : कल्याणी इस्पात/ईसी/2024

दिनांक : 09 मई, 2024

प्रति

श्रीमान कलेक्टर महोदय
जिला राजनांदगांव (छ.ग.)

विषय : परियोजना में पर्यावरण स्वीकृति की सूचना बाबत।

माननीय महोदय,

इस पत्र के माध्यम से आपको सविनय सूचित करते हैं कि भारत सरकार पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय ने ईआईए अधिसूचना 2006 के अंतर्गत मेसर्स कल्याणी इस्पात लिमिटेड, ग्राम-कोपेडीह, तहसील एवं जिला-राजनांदगांव (छ.ग.) में प्रस्तावित ग्रीनफील्ड परियोजना हेतु अपने ईसी पहचान नंबर- EC23A1001CG5286032N Dated 08.05.2024 द्वारा पर्यावरण स्वीकृति जारी की है। जिसकी प्रति संलग्न है।

उपरोक्त पर्यावरण स्वीकृति में उल्लेखित (B) जनरल कंडिशन के बिन्दु क्रमांक (X) मिसलेनियस के शर्त क्रमांक (ii) के अनुपालन के स्वरूप में आपके कार्यालय को इस पर्यावरण स्वीकृति की सूचना प्रदान की जा रही है।


साथ ही पर्यावरण स्वीकृति की शर्तों के अपेक्षानुसार आपसे निवेदन है इसकी सूचना आपके कार्यालय के नोटिफाई बोर्ड में 30 दिनों के लिए प्रदर्शित करने की कृपा करें।

आशा है आपके अपेक्षित सहयोग प्राप्त होगा।

सधन्यवाद एवं सादर

भवदीय


मेसर्स कल्याणी इस्पात लिमिटेड


(संचालक)

संलग्न : पर्यावरण स्वीकृति की छायाप्रति।

प्रतिलिपि:


1. श्रीमान सदस्य सचिव, छ.ग. पर्यावरण संरक्षण मंडल पर्यावास भवन, अटल नगर, नवा रायपुर (छ.ग.)।
2. श्रीमान क्षेत्रीय अधिकारी, क्षेत्रीय कार्यालय, छ.ग.प.स.म., भिलाई, दुर्ग (छ.ग.)।
3. श्रीमान सरपंच महोदय, ग्राम पंचायत, कोपेडीह।



Kalyani Ispat Limited
Project Status Photographs



SMS Plant



Rolling Mill



DRI Plant



Pallet Plant

M/S KALYANI ISPAT LIMITED

House No.117, Bldg No. N-18, 1st Floor, Sector-2, Avanti Vihar, Raipur, Chhattisgarh,
492001

Telefax:91-6582-256442 , Email:rproffice@kalyaniispat.com

PURCHASE ORDER

Page : 1 of 8

Print Date : 06.09.2025

GREEN ENVIRO INTERNATIONAL PVT LTD Vendor Code : 28001357	P.O .No : 4300040737 Despatch Ref :	Dt : 05.09.2025 Dt :
	Party Ref :259-Green/S Date :LOI	Contact Name :Ms. Saroja Contact No :9100050851
317 MANJEERA MAJESTIC COMMERCIAL, KPHB-JNTU ROAD, HYDERABAD, TELANGANA, 500085. TEL No:48512615 E-Mail :ravi@greenenviro.co.in PAN : AAFCG7092L GSTIN NO : 36AAFCG7092L1Z3 STATE NAME & CODE : Telangana, 36	Delivery Address KALYANI ISPAT LTD Kh No.585/1, Kopedeesh, Rajnandgaon, Chhattisgarh, 491441.	
	Invoicing Address M/S KALYANI ISPAT LIMITED Kh No.585/1, Kopedeesh, Rajnandgaon, Chhattisgarh, 491441 . State Name & Code : Chhattisgarh, 22. GSTIN : 22AAJCK1303L1ZU	

Reference to your Offer No. 259-Green/S/CAAQMS/2025, dtd. 31/07/2025 and subsequent discussion with you, we are confirming herewith for Supply, Installation & Commissioning of 4 Nos. CAAQMS Packages for our Kalyani Ispat Limited, Rajnandgaon as

Sl. no	Item Code \$ HSN Code # PR No	Plant	Item Description	UOM	Div. Date	Qty	Rate	Amount
1	30185418 \$ 90271000 # 1100032422	P871	CONTINUOUS AMBIENT ANALYSER;SO2.	SET	06.09.2025	4.000	580,000.00 IGST @ 18%	2,320,000.00 417,600.00
2	30185419 \$ 90271000 # 1100032422	P871	CONTINUOUS AMBIENT ANALYSER;NO-NO2-NOX.	SET	06.09.2025	4.000	570,000.00 IGST @ 18%	2,280,000.00 410,400.00
3	30185420 \$ 90271000 # 1100032422	P871	CONTINUOUS AMBIENT ANALYSER;CO.	SET	06.09.2025	4.000	520,000.00 IGST @ 18%	2,080,000.00 374,400.00
4	30185421 \$ 90271000 # 1100032422	P871	CONTINUOUS AMBIENT ANALYSER;PM10.	SET	06.09.2025	4.000	630,000.00 IGST @ 18%	2,520,000.00 453,600.00
5	30185422 \$ 90271000 # 1100032422	P871	CONTINUOUS AMBIENT ANALYSER;PM2.5.	SET	06.09.2025	4.000	630,000.00 IGST @ 18%	2,520,000.00 453,600.00
6	30185423 \$ 90271000 # 1100032422	P871	PRTBL MULTI POINT CALIBRATOR&COMPRESSOR.	SET	06.09.2025	4.000	740,000.00 IGST @ 18%	2,960,000.00 532,800.00
7	30185428 \$ 90271000 # 1100032422	P871	LOCAL STATION,PC,PRINTER,COM M CABLE ETC.,	SET	06.09.2025	4.000	175,000.00 IGST @ 18%	700,000.00 126,000.00
8	30185427 \$ 90271000 # 1100032422	P871	DUAL BAY RACK CABINET. Transportation Chagers of Shelter from Hyderabad to Plant(Extra).	SET	06.09.2025	4.000	55,000.00 IGST @ 18%	220,000.00 39,600.00
9	30185426 \$ 90271000	P871	SAMPLE HANDLING SYSTEM.	SET	06.09.2025	4.000	35,000.00 IGST @ 18%	140,000.00 25,200.00

Continued to page 2



M/S KALYANI ISPAT LIMITED

House No.117, Bldg No. N-18, 1st Floor, Sector-2, Avanti Vihar, Raipur, Chhattisgarh,
492001

Telefax:91-6582-256442 , Email:rproffice@kalyaniispat.com

PURCHASE ORDER

Page : 2 of 8

Print Date : 06.09.2025

GREEN ENVIRO INTERNATIONAL PVT LTD					P.O .No : 4300040737		Dt : 05.09.2025	
Vendor Code : 28001357					Despatch Ref :		Dt :	
					Party Ref :259-Green/S		Contact Name :Ms. Saroja	
					Date :LOI		Contact No :9100050851	
Sl. no	Item Code \$ HSN Code # PR No	Plant	Item Description	UOM	Div. Date	Qty	Rate	Amount
	# 1100032422							
10	30185425 \$ 90271000 # 1100032422	P871	CALIBRATION GAS CYL®ULATOR,NOX,SO 2,CO.	SET	06.09.2025	4.000	90,000.00 IGST @ 18%	360,000.00 64,800.00
11	30185430 \$ 90271000 # 1100032422	P871	5KVA UPS WITH 1 HOUR BATTERY BACKUP.	SET	06.09.2025	4.000	120,000.00 IGST @ 18%	480,000.00 86,400.00
12	30185431 \$ 90271000 # 1100032422	P871	DISPLAY BOARD, 6 X 4 MULTI COLOR.	SET	06.09.2025	1.000	180,000.00 IGST @ 18%	180,000.00 32,400.00
13	30185433 \$ 90271000 # 1100032422	P871	SHELTER FOR HOUSING CAAQMS.	SET	06.09.2025	4.000	470,000.00 IGST @ 18%	1,880,000.00 338,400.00
14	30185429 \$ 90271000 # 1100032422	P871	CENTRAL CONTROL SOFTWARE WITH PC.	SET	06.09.2025	1.000	360,000.00 IGST @ 18%	360,000.00 64,800.00
Amount (IN WORDS)-Two Crore Twenty Four Lakh Twenty Thousand Rupees Only					Material Value		19,000,000.00	
					IGST		3,420,000.00	
					Order Amount		22,420,000.00	

Commercial Terms and Conditions :-

- 1) THE PRICES ARE F.O.R. AT OUR KIL SITE, RAJNANDGAON, INCLUDING PACKING/FORWARDING AND TRANSIT INSURANCE, PACKING SHALL BE AS PER STANDARD, SO AS TO REACH SITE SAFETY WITHOUT ANY DAMAGE.
- 2) FREIGHT AND INSURANCE: THE FREIGHT CHARGES AND TRANSIT INSURANCE IS INCLUSIVE IN THE CONTRACT PRICE FOR ALL THE MATERIALS FROM YOUR WORKS TO OUR SITE.
- 3) FIRM PRICE: THE CONTRACT PRICE SHALL REMAIN FIRM AND BINDING DURING THE TENURE OF THE CONTRACT AND SHALL NOT BE SUBJECTED TO ANY ESCALATION WHATSOEVER NOTWITHSTANDING ANY CHANGE IN THE COST OF MATERIALS AND/OR LABOUR AND/OR OTHERWISE WHICH MAY PLACE THE SUPPLIES AS PER SCOPE OF WORK IS BEING.
- 4) TAXES: GST SHALL BE PAID EXTRA AT ACTUAL .
- 5) DELIVERY AT: KALYANI ISPAT LTD Kh No.585/1, Kopedeesh, Rajnandgaon, Chhattisgarh, 491441.
- 6) DEDUCTION TAXES: TAXES IF ANY APPLICABLE SHALL BE DEDUCTED FROM YOUR BILL AS PER THE PREVAILING RATE.
- 7) PACKING & FORWARDING: THE PRICE IS INCLUSIVE OF PACKING & FORWARDING CHARGES. THE MATERIAL SHOULD BE PROPERLY PACKED TO AVOID TRANSIT HAZARDS.
- 8) TERMS OF PAYMENTS: THE TERMS OF PAYMENT FOR THE SUPPLY AND DELIVERY OF GOODS SHALL BE :-
20% OF BASIC ADVANCE AGAINST PO,70% OF BASIC WITH FULL GST AFTER RECEIPT OF MATERIAL AT KIL SITE,10% AFTER SUCCESSFUL INSTALLATION/COMMISSIONING AGAINST SUBMISSION OF PBG VALID TILL

Continued to page 3



M/S KALYANI ISPAT LIMITED

House No.117, Bldg No. N-18, 1st Floor, Sector-2, Avanti Vihar, Raipur, Chhattisgarh,
492001

Telefax:91-6582-256442 , Email:rproffice@kalyaniispat.com

PURCHASE ORDER

Page : 3 of 8

Print Date : 06.09.2025

GREEN ENVIRO INTERNATIONAL PVT LTD Vendor Code : 28001357	P.O .No : 4300040737	Dt : 05.09.2025
	Despatch Ref :	Dt :
	Party Ref :259-Green/S Date :LOI	Contact Name :Ms. Saroja Contact No :9100050851

WARRANTY PERIOD.

NOTE: ABG/PBG MUST BE SENT FOR REVIEW /APPROVAL BY AIAPPL ACCOUNT DEPARTMENT BEFORE FINAL SUBMISSION FOR PAYMENT PROCESS.

9) GUARANTEE/WARRANTY: 24 MONTHS FROM THE DATE OF COMMISSIONING OR 27 MONTHS FROM THE DATE OF SUPPLY, WHICHEVER IS EARLIER.

10) TEST CERTIFICATE: TO BE PROVIDED ALONG WITH INVOICE.

11) PRICE ESCALATION: THE PRICES ARE FIXED FOR ENTIRE QUANTITY ORDERED. NO PRICE ESCALATION WILL BE ENTERTAINED TILL COMPLETION OF ENTIRE ORDERED QUANTITY.

12) DELIVERY OF MATERIAL: WILL BE WITHIN 10-12 WEEKS FROM THE DATE OF TECHNO-COMMERCIALLY CLEARED PURCHASE ORDER OR DRAWING APPROVAL WHICHEVER IS LATER.

13)DRAWING/DOCUMENT SUBMISSION & APPROVAL:

THE DRAWINGS WILL BE SUBMITTED WITHIN 10-15 DAYS FROM THE DATE OF RECEIPT OF PO AND THE APPROVAL OF DRAWINGS WITHIN 03-07 DAYS FROM THE DATE OF DRAWINGS SUBMISSION.

14)INSPECTION : INSPECTION OF THE MATERIAL SHALL BE DONE BY BUYER REPRESENTATIVE AT SITE STORE AFTER RECEIPT OF MATERIAL/ INSPECTION OF THE MATERIAL IS DONE BY BUYER REPRESENTATIVE AT SUPPLIER WORKS, SUPPLIER WILL INFORM IN ADVANCE AFTER READINESS OF MATERIAL. SUPPLIER SHALL FURNISH THEIR INTERNAL INSPECTION REPORTS BEFORE DISPATCH OF MATERIAL.

14a)BOTH AAQMS & CEMS DATA CONNECTVITILY MUST BE CONSIDERED TO DISPLAY ON GATE DISPLAY BOARD.

The display boards for the CAAQMS systems must support the integration and display of data from multiple sources, including:

- A. CEMS Data: From 4 systems of different makes.
- B. Opacity Analyzers: Future integration of data from 6 opacity analyzers.
- C. Option for future integration of additional systems with different makes to be provided.
- D. Data Connectivity must be from Knowledge Lenses

15)SUPERVISION OF ERECTION & COMMISSIONING/INSTALLATION: WILL BE IN THE SCOPE OF SUPPLIER AT OUR SITE IN FREE OF COST. ALL FOODING, LODGING,BOARDING AND LOCAL CONVEYANCE WILL BE GEIPL SCOPE FOR SERVICE ENGINEER.(NO CAP ON MANDAYS)

DURING WARRANTY PERIOD SUPPLIER MUST PROVIDE CONSUMABLES AND SPARES ITEMS ,QUATERLY 3 MAN DAYS ONE VISIT AND TWO VISIT 4 MAN DAYS EMERGENCY VISIT PER YEAR.

16) LD CLAUSE: LD @ RATE OF 0.5% PER WEEK TO A MAXIMUM OF 5% SHALL BE APPLICABLE ON THE UNDELIVERED PORTION.ONCE THE MAXIMUM IS REACHED,THE PURCHASER MAY CONSIDER TERMINATION OF THE CONTRACT.

NOTE- LD SHOULD APPLICABLE AFTER 14 WEEKS AFTER RECEIPT OF PURCHASE ORDER OR DRAWING

Continued to page 4



M/S KALYANI ISPAT LIMITED

House No.117, Bldg No. N-18, 1st Floor, Sector-2, Avanti Vihar, Raipur, Chhattisgarh,
492001

Telefax:91-6582-256442 , Email:rproffice@kalyaniispat.com

PURCHASE ORDER

Page : 4 of 8

Print Date : 06.09.2025

GREEN ENVIRO INTERNATIONAL PVT LTD	P.O .No : 4300040737	Dt : 05.09.2025
	Despatch Ref :	Dt :
Vendor Code : 28001357	Party Ref :259-Green/S	Contact Name :Ms. Saroja
	Date :LOI	Contact No :9100050851

APPROVAL WHICHEVER IS LATER.

17.DOCUMENTS REQUIRED : MATERIAL SHALL COMPULSORILY BE ACCOMPANIED BY THE FOLLOWING DOCUMENTS IN ORIGINAL:

Ø ORIGINAL TAX INVOICE
Ø COPY OF LR
Ø E-WAY BILL
Ø WARRANTY CERTIFICATE
Ø TEST CERTIFICATE
Ø ONE SET OF ABOVE DOCUMENTS SHALL BE SCANNED AND SENT TO RESPECTIVE BUYER IMMEDIATELY AFTER DISPATCH IS DONE.

18) DEVIATION: ANY DEVIATION OF THE ABOVE TERMS AND CONDITIONS SHALL BE VALID EXPRESSLY MADE IN WRITING BY KIL.

19) FORCE MAJEURE: THE DELIVERY PERIOD INDICATED IN THIS OFFER WILL BE SUBJECT TO FORCE MEJEURE AS FOLLOWS:
M/S. GREEN ENVIRO INTERNATIONAL PVT LTD SHALL BE UNDER NO LIABILITY IF PREVENTED FROM CARRYING OUT ANY OF THE OBLIGATIONS BY REASONS OF WAR, INVASION ACT OF FOREIGN ENEMY, HOSTILITIES (WHETHER WAR BE DECLARED OR NOT), RIOTS,CIVIL COMMOTION, LABOUR DISTURBANCES, STRIKES, LOCKOUTS, MUTINY, INSURRECTIONS, REBELLION, REVOLUTIONS, ACCIDENTS,EARTHQUAKES, FIRE FLOODS, GOVERNMENT ORDERS AND / OR RESTRICTIONS, LACK OF WAGON OR SHIPPING SPACE,INTERRUPTION/RESTRICTIONS OF POWER SUPPLY, DAMAGE TO PLANT, MACHINERY OR EQUIPMENT, STRIKE/DISRUPTION AT M/S. GREEN ENVIRO INTERNATIONAL PVT LTD SUPPLIER'S WORKS OR ANY OTHER CAUSE BEYOND THE CONTROL OF M/S. GREEN ENVIRO INTERNATIONAL PVT LTD.

20) ARBITRATION: IN CASE OF ANY DISPUTE OF DIFFERENCE SHALL ARISE BETWEEN THE COMPANY (OR THE ENGINEER OF THEIR BEHALF) AND THE CONTRACTOR ON ANY MATTER WITHIN SCOPE OF THIS CONTRACT, EXCEPT AS TO MATTERS ENTIRELY LEFT THE DISCRETION OF THE COMPANY OR THE ENGINEER UNDER THE PROVISION OF THIS PO, THEN EITHER YOU SHALL FORTHWITH GIVE TO THE OTHER WRITTEN NOTICE OF SUCH DISPUTE OF DIFFERENCE SHALL BE REFERRED TO PANEL OF ARBITRATORS SHALL BE FINAL AND BINDING ON BOTH PARTIES. THE PROCEDURE LAID DOWN IN INDIA ARBITRATION ACT OF 1996 AND THE RULES MADE THERE UNDER FROM TIME TO TIME SHALL APPLY IN THE MATTER OF REFERENCE. ONLY COURTS AT CHAIBASA SHALL HAVE JURISDICTION TO ENTERTAIN A CLAIM FOR ENFORCEMENT OF THE AWARD.

21) IT IS REQUESTED TO WRITE OUR GSTIN NO WHILE RAISING YOUR INVOICE; OTHERWISE THE INVOICE WILL NOT BE ACCEPTED BY US.YOUR INVOICE SHOULD BE DULY SIGNED AND SEALED BY PROPRIETOR OR AUTHORISED PERSON OF YOUR FIRM/COMPANY.

22) PLEASE SIGN AND RETURN THE DUPLICATE OF THIS PURCHASE ORDER (INITIALISING EACH PAGE) DULY SIGNED AND STAMPED IN TOKEN OF YOUR ACCEPTANCE OF THE ABOVE TERMS & CONDITIONS.

Note : OPERATION & MAINTENANCE MANUAL / GA DRAWINGS /SPARE LIST: O & M MANUAL - 4 SETS, GAD - 4 SETS & SPARE LIST- 4 SETS SHALL BE SUBMITTED WITH#THE#SUPPLY.

TERMINATION



M/S KALYANI ISPAT LIMITED

House No.117, Bldg No. N-18, 1st Floor, Sector-2, Avanti Vihar, Raipur, Chhattisgarh,
492001

Telefax:91-6582-256442 , Email:rproffice@kalyanispatt.com

PURCHASE ORDER

Page : 5 of 8

Print Date : 06.09.2025

GREEN ENVIRO INTERNATIONAL PVT LTD Vendor Code : 28001357	P.O .No : 4300040737	Dt : 05.09.2025
	Despatch Ref :	Dt :
	Party Ref :259-Green/S Date :LOI	Contact Name :Ms. Saroja Contact No :9100050851

The company can at any point of time, terminate/cancel the whole or part of this Contract for convenience without assigning any reasons thereof and/or if the contractor/supplier fails to perform the assigned work as per the contract, during the currency of the Contract by serving a written notice to the contractor/supplier. Upon termination of this contract, the company shall have every right to engage another contractor/supplier for the works. The parties shall then meet within fifteen (15) Days from the date of termination notice to settle the account amicably.

INDEMNIFICATION

The Contractor/Supplier shall indemnify the company in case the company suffers any loss, damages, claims or penalties, due to breach of any of the terms envisaged under this contract. The loss and damage as quantified by the company shall be binding on the contractor/supplier. Contractor/Supplier shall exercise required skill, care and diligence as per the requirement of assigned work. Contractor/Supplier shall indemnify the company against any loss, injury or damage caused due to any fire, leakage, negligence, explosion, accident or any other cause while providing services or its property or employees due to any wilful or un-wilful acts/omission, negligence by its employees, agents, sub-contractor for any reasons whatsoever, the company shall be at the liberty to debit actual cost of loss or damage to the account of Contractor/Supplier and that may be incurred by the company arising out of and in relation to the same, to be quantified by the Company. The loss and damage as quantified by the company shall be binding on the contractor/supplier.

SAFETY CLAUSE IN CONTRACT:

1. Contractor Shall Be Solely Responsible For Safety Of His Workmen.
2. Contractor Shall Ensure That All Workers Imparted Safety Induction Training/Specialized Training, Tool Box Talk For Various Hazardous Involved In The Job And Safety Precautions To Be Taken Thereof.
3. Contractor Shall Start The Job After Obtaining Safety Clearance From User Department User Department Will Give Clearance To Start The Job After Checking Adequacy Of Safety Measure Taken By The Contractors.
4. Contractor Shall Deploy The Person Who Has Medically Fit For Working And Pre- Employment Medical Fitness Is Compulsory For All Workers.
5. The Contractor Shall Take All Safety Measures And Will Be Held Responsible To Do The Job Safety.
6. The Contractor Shall Ensure The Deployment Of Safety Personnel As Per The Following Norms:
 - (i) One Qualified Safety Officer Shall Be Deployed for Every 500 Workers Engaged At The site, In Accordance With the Provisions of the BOCW Act and Relevant Rules.
 - (ii) One Safety Champion/Supervisor Shall Be Deployed for Every 50 Workers by the Contractor to ensure compliance With Day-To-Day Safety Practices, Toolbox Talk, PPE Usage, And Site Safety Supervision under the Guidance of the Safety Officer.
7. If There Are Four Workers, One Worker To Be Declared As Safety Leader & Responsible For Safety.
8. The Contractor Shall Compulsorily Issue Basic Personal Protective Equipment#s(PPEs) Such as Reflective Vest ,Safety Shoes/Boot, Safety Helmet(Is 2925) With the Agency Logo and Blood Group Printed, to All Contractor Workers .All other necessary PPEs Shall also be provided by the contractor . All PPEs must conform to the relevant Indian Standards (IS Codes) as prescribed by the Bureau of Indian Standards (BIS), and under no circumstances shall their quality be below the specified IS standards. A Proper Record of PPEs Issued- Including the Name of the employee, Date of issue, Items Issued and Employee#s signature shall be maintained by the Contractor.
9. Job Specific PPE#s to be issued by Contractor and Contractor Shall Ensure To Use Of Specific PPEs As Per Below Specified Job On Area: Working At Height (Above 1.8 Mtr)-Full Body Harness with Double Lanyard and Shock Absorber, Safety Nets, Lifeline and Retractable Fall Arrestor.
Welding And Gas Cutting Job-Hand Gloves, Leather Apron, Helmet Fitting Welding Shield, Hand Sleeves And Leg Sleeves, Nose Mask And Gas Cutting Google#s.
Electrical Job-Rubber Hand Gloves Insulated Proper Tools, Electrical Resistance Shoes Etc. Grinding Job - Google#s / Face Shield, Ear Muffs.
Dusty Area # Dust Mask, Safety Goggles.
Hot Zone-Hand Gloves, Leather Apron/Fire Suit, Leg Guard, Face Shield/Safety Google#s, Aluminizes Suit at the Time of Pouring Molten Metal from Furnace to Ladle.
Excavation Work: Provision of Barricading Of Excavated Pit (Hard Barricading In Case Of Pit More Than 1.5 Mtr).
Any Other Job/Area-PPEs As May Be Required For the Area/As Asked By Safety Department.

Continued to page 6



M/S KALYANI ISPAT LIMITED

House No.117, Bldg No. N-18, 1st Floor, Sector-2, Avanti Vihar, Raipur, Chhattisgarh,
492001

Telefax:91-6582-256442 , Email:rproffice@kalyaniispat.com

PURCHASE ORDER

Page : 6 of 8

Print Date : 06.09.2025

GREEN ENVIRO INTERNATIONAL PVT LTD	P.O .No : 4300040737	Dt : 05.09.2025
	Despatch Ref :	Dt :
Vendor Code : 28001357	Party Ref :259-Green/S	Contact Name :Ms. Saroja
	Date :LOI	Contact No :9100050851

10. Contractor Shall Not Deploy The Workers At Height Who Are Suffering From Obesity, High BP, Vertigo And Vision Impairment Etc.

11. Contractor Shall Ensure That While Moving On Beams At Height, The Lanyard Of Safety Belt Has To Be Anchored In Life Line (12 Mm Dia.P.P.Rope).

12. Contractor Shall Install Safety Net For Arresting Falling Objects In Height Work.

13. Contractor Shall Provide Skilled Training According To Their Work.

14. The Contractor Shall Strictly Adhere To The Safety Policy And Guidelines Of KALYANI ISPAT LIMITED.

All Personnel Deployed By The Contractor Must Comply With The Following Site Safety And Conduct Regulations:

(I).Consumption Or Possession of Alcohol, Drugs, Or Any Intoxicating substances is Strictly Prohibited within the Project Premise. Anyone Found Violating This Shall Be Immediately Removed From Site. (li). Use of Mobile Phones during Work at Site Is Strictly Prohibited.

(lii). Movement of Two-Wheeler Vehicles Is Strictly Prohibited Within the Plant Premises. Only Authorized Four #Wheeled Vehicles May Be Allowed, Subject To Prior Approval And

Compliance With Speed Limits, Designated Routes, And Safety Norms. Unauthorized Or Rash Driving Will Lead To Cancellation Of Entry Permission And Disciplinary Action.

(iv). Contractor Shall Ensure All Workers Are Briefed Regularly On Safety Instructions, Company Policies, And Site-Specific Safety Measures.

15. The Contractor Shall Ensure Third Party Inspection, Certification And Calibration Of All Lifting Tools And Tackles, Air Compressors, And Other Equipment Being Used At Site.

This Shall Be Done In Accordance With the Provisions Of The Bocw Act, 1996, Applicable Central/State Government Rules, And Directives Issued By Local Statutory Authorities.

16. Contractor Shall Ensure All Compressed Gas Cylinder Should Be Kept On Vertical Position And Should Be Shifted With Trolley, Cap (Guard) And Flash Back Arrestor To Be Used In Cylinder And Cutting Torch,Cutting torches must have 3 Pipes torches .

17. Contractor Shall Ensure Using of EICB /RCCB or Any Overload Protection Equipment in Welding Machine .Double Cable (One for Welding and another for Earthing in Same Length).

18. Vehicle Should Be Maintained As Per Vehicle Inspection Checklist Of Company.

19. The Contractor Shall Obtain A Valid Work Permit, Method Statement From The Concerned Authority Of Kalyani Ispat Limited Before Starting Any Activity At The Site.

20. Contractor Project Head Must Participate In Safety Committee Meeting And Safety Promotional Programmes.

21. KALYANI ISPAT LIMITED Shall Conduct A Structured Monthly Evaluation Of Contractors Performance, And The Results Shall Be Formally Declared Based On Their Overall Compliance, Quality, Safety, Timeliness And Discipline.

22. In Case Of Any Accident Occurring Within the Premises, the Total Responsibility of Such Incident and Salvation Will Rest with the Contractor.

23. The Contractor Shall Prepare and Submit A Detailed Organizational Chart to KALYANI ISPAT LIMITED.

24. No Visitors Are Allowed For Site Visit Without Safety Induction.

25. All equipments shall be in compliance with the checklist .

26. ALL Contractors must comply with statutory certification requirements.

27. The contractor shall ensure that the workers team includes both a competent scaffolder and a scaffolding inspector.

28. The contractor shall ensure that the workers team includes both rigger,foreman or rigging supervisor.

29. Riggers and rigging inspectors shall carry out lifting operations only after reviewing and approving a proper lifting plan.

30. All electricians and electrical engineers must possess a valid electrical license.

31. The use of gas cylinders must comply with relevant safety precautions and statutory regulations.

32. The Contractors shall adopt safety modules and standards in line with internationally accepted DUPONT safety practices to ensure a robust and proactive safety culture.

33. All incidents must be reported immediately .Corrective actions and their recommendations shall be followed and implemented without any delay.

34. The contractors must abide by the guidelines issued by the safety department.

Continued to page 7



M/S KALYANI ISPAT LIMITED

House No.117, Bldg No. N-18, 1st Floor, Sector-2, Avanti Vihar, Raipur, Chhattisgarh,
492001

Telefax:91-6582-256442, Email:rproffice@kalyaniispat.com

PURCHASE ORDER

Page : 7 of 8

Print Date : 06.09.2025

GREEN ENVIRO INTERNATIONAL PVT LTD Vendor Code : 28001357	P.O .No : 4300040737 Despatch Ref :	Dt : 05.09.2025 Dt :
	Party Ref :259-Green/S Date :LOI	Contact Name :Ms. Saroja Contact No :9100050851

GENERAL TERMS & CONDITIONS :

01. Phased delivery schedule, if required/mentioned in the Purchase Order should be strictly adhere to.
 02. No charged towards packing, boxing or crating will be accepted by the company unless agreed to with reference to the particular order.
 03. Unless otherwise agreed to all goods are to be supplied carriage paid to the company's factory or to such place as may be directed by the company.
 04. The company reserves itself the right to cancel this order or any thereof if delivery is not made within the stipulated time schedule in which event, the company shall have the right to purchase goods of similar specification, elsewhere debiting the supplier with the difference in cost if any.
 05. The company reserves the right & return to the supplier all materials which do not confirm to the condition specified under clause as specified in the terms & condition.
- While executing this Order the relevant Labour, Safety and Environmental Norms as stipulated by the Law and / or by the Plant Authority to be abide by you.
06. The material supplied against the order must be strictly in accordance with the details given in order or in the drawing(s) & specification furnished.
 07. The blue print(s) & drawing(s) which may be furnished to the supplier are the sole property of the company and supplier on no account should disclose any manufacturing information or part with such drawing to any third party without the written consent of the company.
 08. No legal proceedings shall be taken to enforce any claim arising out of this purchase order except in a competent court at CHAIBASA or at such other place having territorial jurisdiction of the factory of the company.
 09. The Qty. of order may increased or decreased as the discretion of the management as per mutual understanding.
 10. Penalty clause : "Time is the essence of the Contract." In case supplier fails to complete the supply within the stipulated period, he shall be liable to pay a penalty of ½ % per week or part there the delay subject to a maximum 5% of the value of the undelivered material as per the delivery schedule, whenever specifically mentioned.
 11. Force Majeur clause :
 - a. The delivery schedule can be amended if the same is affected by force majeure condition, i.e., acts of foreign enemies, hostilities, riots, civil commotion, strike, lockout, revolution earth quake, fire, flood, act of God, imposition of restriction by State/ Central Government on production of purchaser or saler.
 - b. Documentary proof of existence of the condition referred to above will be required to be furnished by the party relying to within a reasonable time after the happening of the event.
 - c. Sub - contractor, Sub-suppliers of either side are not included in this clause.
 12. Test certificate must be provided where necessary and applicable.
 13. Guarantee/Warrantee Certificate must be provided along with the supplies of materials where applicable.
 14. Invoicing & Delivery of materials should be done strictly as per details mentioned above in delivery and invoicing address. Invoice raised on address other than above will not be accepted under any circumstances.
 15. Time is the essence of this order and delivery must be made as per delivery schedule unless otherwise deferred by us in writing.
 16. If the materials rejected it should be collected by supplier within 7days from the date of receipt of Rejection Advice at their own risk and cost. Our company will no way responsible for damage, theft and missing of materials.
 17. Please mention our PO NO in all our correspondences including invoice and challan submitted to us.
 18. INVOICES AS PER INVOICE RULE MUST ACCOMPANY THE GOODS failing which this amount will not be paid.
 19. GST registration number has to be printed clearly on all tax invoices, debit and credit notes.
 20. Vendor shall issue credit notes towards any adjustments to the value and the credit note shall also indicate the appropriate GST amounts and the corresponding invoice numbers to which the said note is attributable to. In case any rate is more than existing rate, vendor shall reimburse excess amount of GST charges in the credit note. Further any reduction either on account of

Continued to page 8



M/S KALYANI ISPAT LIMITED

House No.117, Bldg No. N-18, 1st Floor, Sector-2, Avanti Vihar, Raipur, Chhattisgarh,
492001

Telefax:91-6582-256442, Email:rproffice@kalyaniispat.com

PURCHASE ORDER

Page : 8 of 8

Print Date : 06.09.2025

GREEN ENVIRO INTERNATIONAL PVT LTD	P.O.No : 4300040737	Dt : 05.09.2025
	Despatch Ref :	Dt :
Vendor Code : 28001357	Party Ref :259-Green/S	Contact Name :Ms. Saroja
	Date :LOI	Contact No :9100050851
reduced GST rate or on account of availability of GST credit, shall pass on to the Company and Company reserve its rights to seek any information that may be appropriate to meet this purposes. 21. Supplier/service provider to confirm that the GST amount charged in invoice is declared in its returns and payment of taxes is also made. 22. The Supplier/ Service Provider agrees to comply with all applicable GST laws, including GST acts ,rules, regulations, procedures, circulars & instructions thereunder applicable in India from time to time and to ensure that such compliance is done within the time prescribed under such laws. Supplier/Service Provider should ensure accurate transaction details, as required by GST laws, are timely uploaded in GSTN. In case there is any mismatch between the details so uploaded in GSTN by Supplier/ Service Provider and details available with Company, then payments to Supplier/Service Provider to the extent of GST relating to the invoices/s under mismatch may be retained from due payments till such time Company is not sure that accurate tax amount is finally reflected in the GSTN to Company's Account and is finally available to Company in terms of GST laws and that the credit of GST if any so taken by Company is not required to be reversed at a later date along with applicable interest. 23. Company has the right to recover monetary loss including interest and penalty suffered by it due to any non-compliance of tax laws by the supplier/service provider. Any loss of input tax credit to Company for the fault of supplier shall be recovered by Company by way of adjustment in the consideration payable. 24. Supplementary invoices/Debit note/credit note for price revisions to enable Company to claim tax benefit on the same shall be issued by you for a particular year before September of the succeeding Financial Year. 25. The purchase order/ work order shall be void, if at any point of time you are found be to a black listed registered person as per GSTN rating system and further no payment shall be entertained. 26. Company reserves the right to seek information including but not limited to GST payments, filling of returns, availability of credit to the vendors. 27. Any new statutory levies, taxes, duties, cess, etc. imposed by the Central / State / local authorities by way of fresh notification subsequent to the issue of Purchase Order, but within the stipulated delivery period, shall be recovered separately. 28. Any additional cost or benefit impacting the contract price resulting from introduction of any new law, towards leviable taxes, including eligible credit, in respect of goods and service to be supplied under the contract, then the parties agree to an adjustment to the contract price to reflect the financial impact of such "Change in law". 29. In the event any dispute / litigation / demand of compensation arises against the work given in this work order , the same shall be resolved solely by you and the company shall not be held responsible to comply with any such obligation. Further ,You shall indemnify the company against all losses / damages , if any , sustained by the company against the works specified in this work order. 30. ARBITRATION: All disputes and difference whatsoever arising between the parties out of or in relation to work or supply of Work Order / Purchase Order or effect to dis-contact or breach thereafter shall be settled amicably. However if the parties are unable to solve the disputes , the same shall be finalized setting by arbitration and reconciliation. The award may in pursuance thereafter shall be final and binding on the parties and the place of arbitration will be Chaibasa.		
CIN No : U27100CT2021PLC012353 PAN No : AAJCK1303L		For M/S KALYANI ISPAT LIMITED
		Authorized Signatory
Regd.Office : House No-117,Building-N-18, First Floor, Sec-2, Avanti Vihar,Raipur,492001		

KALYANI ISPAT LIMITED

Registered Office

8A, Express Tower, 42A, Shakespeare Sarani, Kolkata, WEST BENGAL, INDIA- 700 017

Telefax : (033) 22816480, Email : kaloffice@kalyanispac.com

CIN: U27100WB2021PLC281179

Ref. No. KIL/CECB/14/25-26

Date: 22.10.2025

To,
The Regional Officer,
C.G. Environment Conservation Board, Bhilai,
Dist. - Durg (C.G.)

Subject: Proposed Location for installation of 4 Nos. Continuous Ambient Air Quality Monitoring System (CAAQMS) with respect Kalyani Ispat Limited located at village - Kopedihi, Tahsil & District - Rajnandgaon in Chhattisgarh.

Dear Madam,

We wish to submit that Kalyani Ispat Limited has obtained EC vide letter no. IA-J-11011/1172/2007-IA-II(IND-I) dated 08/05/2024 for produce sponge iron 660,000 TPA; mild steel billets 465,696 TPA; rerolled steel products through hot charging and through reheating furnace 478,500 TPA; iron ore pellets 1,200,000 TPA; SAI to produce silico manganese 36,000 TPA and/or ferro manganese 46,000 TPA and/or ferro silicon 22,500 TPA and/or pig iron 63000 TPA; captive power of 75 MW (50 MW through WHRB and 25 MW through CFBC); pipe mill 155,100 TPA; galvanized mill 155,100 TPA and fly ash bricks 41,500 TPA located at village - Kopedihi, Tahsil & District - Rajnandgaon, Chhattisgarh.

Further we wish to submit that CTE was obtained by Chhattisgarh Environment Conservation Board vide letter no. 5666/TS/CECB/2024, Nava Raipur Atal Nagar, dated 24.09.2024. The plant has commenced construction from the month of October in 2024. The existing facilities are under construction.

In this context we have identified the four locations and covered all around the plant. Plant layout plan and identified locations enclosed as **Annexure-I**. Work order has been given to M/s Green Enviro International Pvt. Ltd. Hyderabad for supply and installation of 4 Nos. Continuous Ambient Air Quality Monitoring System (CAAQMS) at our Kalyani Ispat Limited.


We are submitting proposed 4 Nos. Continuous Ambient Air Quality Monitoring System (CAAQMS) locations in plant lay out for your kind perusal and your valuable guidance.


Thanking you.

Yours Faithfully
For Kalyani Ispat Limited


P.K. Deo
Director

Enclosed : as above





**आदेश द्वारा श्री सुधीर कुमार अग्रवाल, प्रधान मुख्य वन संरक्षक,
(वन्यजीवन एवं जैव विविधता संरक्षण) सह मुख्य वन्यप्राणी अभिरक्षक, छत्तीसगढ़**

सेक्टर-19, नार्थ ब्लॉक, अरण्य भवन, प्रथम तल (एफ.आर.) अटल नगर, नवा रायपुर (छ.ग.)

✉ ewlweg@gmail.com.

☎ 0771-2512880, 2512853

// आदेश //

आदेश क्रमांक/व.प्रा./प्रबंध-2/न.क.-756/153

नवा रायपुर, दिनांक 04/07/2025

आवेदक संस्था मेसर्स कल्याणी इस्पात लिमिटेड रायपुर द्वारा भारत सरकार, पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय, नई दिल्ली के पत्र क्र. IA-J-11011/1172/2007-IA.ii(I) दिनांक 13.1.2025 द्वारा जारी टी.ओ.आर. (Wildlife conservation plan for expansion of steel plant from 0.4785 MTPA to 0.9285 MTPA Finished Steel products {0.466 MTPA to 2.012 MTPA crude steel and areas} expansion from 38.68 ha to 84.02 ha. in villages Kopedih and Anjora tehsil & District Rajnandgaon Chhattisgarh.) की कंडिका 4.2 की उपकंडिका 4.2.3 एवं 4.2.4 में निहित शर्तों के पालन में वन्यप्राणी संरक्षण योजना लागत राशि रुपये 119.02 लाख का तैयार कर वनमण्डलाधिकारी के परीक्षण एवं अनुशंसा सहित इस कार्यालय को मुख्य वन संरक्षक (क्षेत्रीय) दुर्ग वृत्त दुर्ग के माध्यम से अनुमोदन हेतु प्राप्त हुआ है। मुख्य वन संरक्षक (क्षेत्रीय) दुर्ग वृत्त दुर्ग के पत्र क्र. 3915 दिनांक 20.6.2025 द्वारा वन्यप्राणी संरक्षण योजना 05 वर्षीय प्लान की स्वीकृति हेतु इस कार्यालय को अनुशंसा सहित प्रेषित किया गया है।

प्रस्तुत वन्यप्राणी संरक्षण योजना का परीक्षण किया गया। आवेदक संस्थान द्वारा प्रस्तुत वन्यप्राणी संरक्षण योजना का परीक्षण पश्चात अन्य घटकों को समाहित करते हुए कुल 05 वर्षों में घटकवार राशि का उपयोग करते हुए वर्षवार आबंटन किया जाता है। अनुमोदित योजना में मुख्य रूप से मनगढ़टा वनवेतना केन्द्र में मौजूदा जलस्रोतों का रखरखाव, ईको पर्यटन विकास गतिविधियों का विकास कार्य, पशुचिकित्सा सुविधा का विकास एवं रखरखाव, चारागाह विकास रखरखाव सहित, मानव-वन्यप्राणी द्वंद कम करने में सहायता हेतु जनजागरूकता प्रशिक्षण कार्यक्रम, मानव-वन्यजीव संघर्ष को कम करने के लिए उपयोग में आने वाली सामग्री एवं रेस्क्यू वाहन, पेट्रोलिंग वाहन, मरम्मत, मानव-वन्यप्राणी द्वंद निगरानी और समाधान के लिए कर्मचारियों की सुरक्षा उपकरण, पशु प्रबंधन उपकरण, ट्रैप कैमरा, सर्च लाइट, थर्मल ड्रोन, दूरबीन, रस्सी आदि उपकरणों की खरीदी एवं प्रोजेक्ट की मॉनिटरिंग आदि घटकों में बजट प्रावधान किया गया है जिसका विवरण निम्नानुसार है :-

SN	Description of Item of work	Unit (No. / Area)	Estimated expenditure (Rs. in Lakhs)					
			1 st Yr	2 nd Yr	3 rd yr	4 th yr	5 th Yr	Total
1	Maintenance of existing Water resources in Mangatta Van Chetna Kendra	L.S.	3.0	2.0	0	0	0	5.0
2	Provision for development of Eco-Tourism development activities in Mangatta Van Chetna Kendra	L.S.	20.0	10.0	10.0	0	0	40.0
3	Development of veterinary facility with its maintenance for Wildlife in Mangatta Van Chetna Kendra	L.S.	10.0	0.5	0.5	0.5	0.5	12.00
4	Habitat development-		1.5	1.5	0	0	0	3.0
	(A) Pasture development by Planting / sowing of palatable grass seeds/ slips	10 Ha	5 Ha.	5 Ha.	-	-	-	
	(B) Maintenance works for Three years	10 Ha.	-	0.2 5 Ha.	0.4 10Ha.	0.4 10Ha.	0.2 5Ha.	1.2
5	Public awareness, training etc. and miscellaneous works/ activities that may be developed subsequently to reduce man and animal conflicts.	L.S.	1.0	1.0	1.0	1.0	1.0	5.0

SN	Description of Item of work	Unit (No. / Area)	Estimated expenditure (Rs. in Lakhs)					
			1 st Yr	2 nd Yr	3 rd yr	4 th yr	5 th Yr	Total
6	Arrangement of utility vehicle" Rescue vehicle" and "Patrolling Vehicle" to transport of man, materials which are used to reduce Human- Wildlife conflicts. with POL and maintenance for 5 years	L.S.	21.00	1.00	1.00	1.0	1.0	25.00
7	Maintenance of existing patrolling vehicle	L.S.	1.0	0.5	0.5	0.5	0.5	3.0
8	Equipment Purchase like staff safety equipment, animal handling equipment, Trap Camera, search lights, Thermal drone, Binocular, Rope etc. to monitor and address Human Wildlife conflict	L.S.	12.0	0	0	0	0	12.00
9	Monitoring and evaluation of works	L.S.	0	0	0	1.0	1.0	2.00
Total			69.5	16.7	13.4	4.4	4.2	108.2
+10% Escalation			6.95	1.67	1.34	0.44	0.42	10.82
Grand Total			76.45	18.37	14.74	4.84	4.62	119.02

उक्त वन्यप्राणी संरक्षण योजना की कुल लागत राशि **रूपये 119.02 लाख** वर्तमान दरों पर है। परियोजना में देरी होने से समय लागत बढ़ेगी, जिसमें प्राईस इन्डेक्स के हिसाब से वृद्धि होगी। परियोजना के क्रियान्वयन के समय जो भी लागत आयेगी वह प्रस्तावकों को वन विभाग में एकमुश्त जमा करानी होगी, जिससे मूल्य वृद्धि के प्रभाव को समाप्त किया जा सके। वन विभाग इस प्रकार जमा की गई राशि से वन्यप्राणी संरक्षण योजना में दर्शाये समय सारणी के अनुसार क्रियान्वित करेगा।

अनुमोदित वन्यप्राणी योजना में दर्शाये गये उपरोक्त घटकों के संगत फील्ड में किये जाने वाले कार्यों का कार्यवार/स्थलवार प्रोजेक्ट संबंधित वनमण्डलाधिकारी के द्वारा तत्समय प्रचलित मार्गदर्शी सिद्धांतों (व्यय नार्मस, कार्य की प्रकृति, वन्यप्राणी प्रबंधन के संबंध में लागू होने वाले अन्य तकनीकी तथ्यों व निर्देशों) के अनुरूप तैयार कर सक्षमतानुसार तकनीकी स्वीकृति/अनुमोदन हेतु अनुशंसा सहित संबंधित मुख्य वन संरक्षक क्षेत्रीय एवं वन्यप्राणी को प्रेषित किया जावेगा। संबंधित मुख्य वन संरक्षक द्वारा प्रोजेक्ट की तकनीकी स्वीकृति/अनुमोदन की अनुशंसा के साथ मुख्य वन्यप्राणी अभिरक्षक छत्तीसगढ़ को प्रेषित किया जावेगा। प्रोजेक्ट का परीक्षण वन्यप्राणी प्रबंधन की उपयुक्तता की दृष्टि से किया जाकर मुख्य वन्यप्राणी अभिरक्षक के द्वारा कार्य हेतु प्रशासकीय स्वीकृति जारी किये जाने की अनुशंसा के साथ प्रोजेक्ट, प्रशासकीय स्वीकृति/बजट आबंटन करने हेतु सक्षम अधिकारी को प्रेषित किया जावेगा। प्रशासकीय स्वीकृति आदेश जारी किये जाने के पश्चात ही कार्यों का क्रियान्वयन व.मं.अ. द्वारा किया जावेगा।

वन्यप्राणी प्रबंधन योजना के कार्यों की मॉनिटरिंग का कार्य संबंधित मुख्य वन संरक्षक व मुख्य वन्यप्राणी अभिरक्षक छ.ग. द्वारा किया जावेगा। किये जा रहे कार्यों की भौतिक व आर्थिक प्रगति से मुख्य वन्यप्राणी अभिरक्षक को प्रतिमाह व.मं.अ. द्वारा अवगत कराया जावेगा। आवेदक संस्थान वन्यप्राणी संरक्षण योजना में प्रावधानित कुल राशि **रूपये 119.02 लाख** (रूपये एक करोड़ नब्बीस लाख दो हजार मात्र) एकमुश्त जमा करना सुनिश्चित करेंगे।

(सुधीर कुमार अग्रवाल)

प्रधान मुख्य वन संरक्षक (व.प्रा.) सह
मुख्य वन्यप्राणी अभिरक्षक, छत्तीसगढ़

नवा रायपुर, दिनांक 04/07/2025

पृ. क्रमांक/व.प्रा./प्रबंध-2/न.क.-756/3034
प्रतिलिपि सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :-

1. अपर प्रधान मुख्य वन संरक्षक (भू-प्रबंध) छत्तीसगढ़, नवा रायपुर।
2. मुख्य वन संरक्षक (क्षेत्रीय) दुर्ग वृत्त दुर्ग।
3. वनमण्डलाधिकारी, राजनांदगांव वनमण्डल राजनांदगांव।
4. मेसर्स कल्याणी इस्पात लिमिटेड अवति विहार रायपुर

प्रधान मुख्य वन संरक्षक (व.प्रा.) सह
मुख्य वन्यप्राणी अभिरक्षक, छत्तीसगढ़

KALYANI ISPAT LIMITED

Registered Office : House No.- 117, Building No -- N-18, First Floor, Sector-2, Near SBI ATM, Avanti
Vihar, Raipur, Chhattisgarh, India- 492001 Phone: (06582) 256661, Fax : 91-6582-256442,
Email : rproffice@kalyaniispat.com
CIN: U27100CT2021PLC012353

Ref: KIL/CECB/25-26/ 11

15 September, 2025

To,
The Member Secretary,
Chhattisgarh Environment Conservation Board,
Paryavas Bhavan,
North Block Sector-19 Naya Raipur
(C.G.) 492002.

Subject: Submission of Environment Statement (FORM V) for financial year
ending 31st march 2025 of M/s Kalyani Ispat Limited Village-
Kopideh, Tehsil & District- Rajnandgaon (C.G.) – 491441.

Sir,


Enclosed please find herewith Form-V for Environment Statement for the financial
year ending the 31st March 2025.

This is for your kind information.

Thanking You,

Yours Faithfully,

For Kalyani Ispat Limited


(Pranaya Kumar Deo)
Director


Encl.: As above

Copy to: The Regional Office, Chhattisgarh Environment Conservation Board
5/32 Banglow Bhilai (C.G.)



ENVIRONMENTAL STATEMENT FOR THE YEAR 2024-2025

**Submitted to Chhattisgarh Environment Conservation Board
Under Rule 14 of The Environment (Protection) Rules 1986**



BY:

Kalyani Ispat Limited

**Located Village- Kopedih, Tehsil & District-
Rajnandgaon (C.G.) – 491441.**

FORM - V
(See rule 14)

Environmental Statement for the financial year ending the 31st March 2024

PART - A

(i)	Name and address of the owner / Occupier of the industry operation or process.	Pranaya Kumar Deo, Director M/s. Kalyani Ispat Limited Village- Kopideh, Tehsil & District- Rajnandgaon (C.G.) - 491441.			
(ii)	Industry category primary - (STC Code)	Large, Metallurgical Industry			
	Secondary (STC Code).	Integrated Iron and Steel Industry			
(iii)	Production capacity-units.	S.L	Facilities	Sanctioned Capacity as EC	Actual production In FY 2024-25
		1	DRI	660,000 tpa	Nil
		2	IF along with CCM and LRF	465,696 tpa	Nil
		3	Rolling Mill	478,500 tpa	Nil
		4	Pellet plant	1,200,000 tpa	Nil
		5	Sub-Merged Arc Furnace		
			a. Silico Manganese	36,000 tpa	Nil
			b. Ferro Silicon	22,500 tpa	Nil
			c. Ferro Manganese	46,000 tpa	Nil
			d. Pig Iron	63,000 tpa	Nil
		6	CFBC	25 MW/Hrs.	Nil
			WHRB	50 MW/Hrs.	Nil
		7	Pipe Mill/Tube Mill	155,100 tpa	Nil
		8	Galvanized Unit	155,100 tpa	Nil
		9	Ply Ash Bricks/ Block making unit	41,500 tpa	Nil
(iv)	Year of establishment.	Project is under construction			
(v)	Date of last environmental statement submitted.	11 October 2024			
PART - B					
(i)	Water and Raw Material Consumption.				
	2023-2024		2024-2025		

	Water Consumption m³/day	Nil	450	
	Process.	Nil	Nil	
	Power plant	Nil	Nil	
	Sprinkling	Nil	Nil	
	Fire fighting	Nil	Nil	
	Domestic	Nil	450	
	Green belt plantation	Nil	Nil	
	Losses	Nil	Nil	
	Name of Products	<u>Process water consumption per unit of product output.</u>		
		During the previous financial year (2023-2024)	During the current financial year (2024-25)	
(i)	Sponge Iron	Nil	Nil	
	SMS	Nil	Nil	
	Power plant	Nil	Nil	
	Rolling mill	Nil	Nil	
	pellet plant	Nil	Nil	
	Pipe Mill/Tube Mill	Nil	Nil	
	Galvanized Unit	Nil	Nil	
	Silico Manganese	Nil	Nil	
	Ferro Manganese	Nil	Nil	
	Ferro Silicon	Nil	Nil	
	Pig Iron	Nil	Nil	
(ii)	Raw Material consumption.	<u>Consumption of raw material per unit of output</u>		
Name of Raw Materials.		Name of Products	During the previous financial year (2023-24)	During the current financial year (2024-2025)
Iron Ore		DRJ	Nil	Nil
Coal			Nil	Nil
Dolomite			Nil	Nil
Coal		Power plant	Nil	Nil
Iron Ore		Pellet	Nil	Nil
Coal			Nil	Nil
Lime			Nil	Nil
Bentonite			Nil	Nil
FO			Nil	Nil
Mn ore		Silico Manganese	Nil	Nil

Industry may use codes if disclosing details of raw materials would violate contractual obligations otherwise all industries to name the raw materials used.

PART - C										
Pollution discharge to environment / unit of output(parameters as specified in the consent issued										
(i)	Pollutants	Quantity of pollutants discharged (mass/day)	Concentrations pollutants in the discharges (Mass/day)µg/m3				Percentages of variation from prescribed standard are with reasons.µg/m3			
(a)	Water :	No discharge								
(b)	Air:		PM 10	PM 2.5	So2	Nox	PM 10	PM 2.5	So2	Nox
	AAQM St-1 (WHRB)		70.8	34.4	9.2	14.4	-29.2	-25.6	-70.8	-65.6

AAQM St-2 (Main Gate)		77.3	39.5	15.2	19.4	-22.7	-20.5	-64.8	-60.6
AAQM St-3 (Gate-2)		71.6	36.5	10.7	9.0	-28.4	-23.5	-69.3	-71
AAQM St-4 (Pellet Hummer)		69.6	33.8	8.2	11.4	-30.4	-26.2	-71.8	-68.6
Results is enclosed as Annexure 1									
PART - D									
Hazardous wastes									
(as specified under Hazardous wastes / Management and Handling Rules, 2016)									
					Total Quantity (Kg)				
					During the previous financial year (2023-24)		During the current financial year (2024-25)		
<u>Hazardous wastes.</u>									
Grease / Use Oil					Nil		Nil		
Contaminated Empty barrel/Container					Nil		Nil		
PART - E									
					Total Quantity MT				
					During the previous financial year (2023-24)		During the current financial year (2024-25)		
<u>Solid Wastes</u>									
(a)	Char				Nil		Utilization - Nil		
(b)	Slag				Nil		Generated - Nil Utilization - Nil		
(c)	Fly Ash				Nil		Generated - Nil Utilization - Nil		
PART - F									
Please specify the characterizations (in terms of composite and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.									
Hazardous - Nil									
Solid Wastes - Nil									
PART - G									
Impact of the pollution abatement measures taken on conservation of natural resources and on the cost production.									
Plantation in and around the Plant will be carried out Environmental monitoring is being done regularly 100 nos fixed water sprinkling systems under installation and complete before operation of the Plant									
PART - H									
Additional measures / investment proposal for environmental protection including abatement of pollution, prevention of pollution.									
1. Tree plant will continue in the year 2025-2026 2. Piezometer with telemetry systems will be installed to monitor the real time ground water level									
PART - I									
Any other particulars for improving the quality of the environment.									

	• The plant has a full – fledged environmental management department with personnel from the necessary educational qualification and expertise to take care of all environmental aspects relating to plant. • Online Continuous Ambient Air Quality Monitoring systems under installation at 04 locations & online data will be connected through the Real Time Data Transmission to CECB • Good housekeeping practices are being / will be maintained in the Plant • Various awareness programs throughout the year conducted in the area which included celebration of World Environment Day, in which environment awareness programs, competitions are conducted
--	--

For Kalyani Ispat Limited

KALYANI ISPAT LIMITED

Pranaya Kumar Deo
Pranaya Kumar Deo,
Director



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD. (LAB DIVISION)

AnISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,

Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/KIL/290825/W5

Issued Date-29.08.2025

GROUND WATER TEST REPORT

Name & Address of the Client	M/s Kalyani Ispat Ltd., Kopedih, Rajnandgaon, Chhattisgarh.
Sampling By	Mr. S.K. MOBASSIR
Date of Sampling	19.08.2025
Date of Sample Received	20.08.2025
Date of Analysis	20.08.2025 to 29.08.2025
Sample Quantity	2000 ml
Location Name	Sub Station(Bore well)
Reference No.	CEMC-29082025W5

ANALYSIS RESULT

Sl. No	Parameter	Unit of measurement	Standard as per IS: 10500, 2012(DW)		Result
			Acceptable Limit	Permissible Limit	
1	Colour	Hazen	5	15	<5
2	Odour	--	AL	AL	AL
3	Taste	--	AL	AL	AL
4	Turbidity	NTU	1	5	<1
5	pH Value @ 25°C	--	6.5-8.5	No Relaxation	7.11
6	Total Hardness (as CaCO ₃)	mg/l	200	600	280
7	Iron (as Fe)	mg/l	1.0	No Relaxation	<0.05
8	Chloride (as Cl)	mg/l	250	1000	36.9
9	Residual, free Chlorine	mg/l	0.2	1.0	ND
10	Total Dissolved Solids	mg/l	500	2000	450
11	Calcium (as Ca)	mg/l	75	200	63.32
12	Magnesium (as Mg)	mg/l	30	100	29.64
13	Copper (as Cu)	mg/l	0.05	1.5	<0.005
14	Manganese (as Mn)	mg/l	0.1	0.3	<0.05
15	Sulphate (as SO ₄)	mg/l	200	400	27.3
16	Nitrate (as NO ₃)	mg/l	45	No Relaxation	11.2
17	Fluoride (as F)	mg/l	1.0	1.5	0.41
18	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	0.001	0.002	<0.001
19	Mercury (as Hg)	mg/l	0.001	No Relaxation	<0.001
20	Cadmium (as Cd)	mg/l	0.003	No Relaxation	<0.003
21	Selenium (as Se)	mg/l	0.01	No Relaxation	<0.001
22	Arsenic (as As)	mg/l	0.01	0.05	<0.001
23	Cyanide (as CN)	mg/l	0.05	No Relaxation	ND
24	Lead (as Pb)	mg/l	0.01	No Relaxation	<0.01
25	Zinc (as Zn)	mg/l	5	15	<0.05
26	Chromium (as Cr)	mg/l	0.05	No Relaxation	<0.05
27	Mineral Oil	mg/l	0.5	No Relaxation	<0.05
28	Total Alkalinity (as CaCO ₃)	mg/l	200	600	250
29	Aluminium (as Al)	mg/l	0.03	0.2	<0.01
30	Boron (as B)	mg/l	0.5	1.0	<0.2
31	Total Coliform	--	Absent in 100 mL Sample		Absent
32	E.Coli	--	Absent in 100 mL Sample		Absent

NB: AL- Agreeable, ND-Not Detectable

End of Report

CEMC PVT. LTD., NABET(QCI) Accredited Category 'A' Consultant Organization.

Regd. Office: Plot No. 522/3458, Pahal, Bhubaneswar-752101, Odisha, India, Mobile: 9861032826
E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemcpl.com

Deals with Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS & GIS, Hydrological Studies, Socio-economic Studies, DGPS & ETS Survey.



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD. (LAB DIVISION)


An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,

Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/KIL/290825/W5

Issued Date-29.08.2025

P. P. Das
Authorized Signatory



Notes:

- The result given above related to the tested sample, as received. The customer asked for the above test only.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

CEMC PVT. LTD., NABET(QCI) Accredited Category 'A' Consultant Organization.

Regd. Office: Plot No. 522/3458, Pahal, Bhubaneswar-752101, Odisha, India, Mobile: 9861032826

E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemcpl.com

Deals with Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS & GIS, Hydrological Studies, Socio-economic Studies, DGPS & ETS Survey.

KALYANI ISPAT LIMITED


RAIPUR OFFICE : House No.- 117, Building No – N-18, First Floor, Sector-2, Near SBI ATM, Avanti Vihar, Raipur,
Chhattisgarh, India- 492001 Phone: (0771) 2990711, Fax : 91-6582-256442
WORKS : Village-Kopedeeh, Tahsil & District- Rajnandgaon, Chhattisgarh, 491441
Email : rproffice@kalyanipat.com

Annexure - 16

Compliance to Public Hearing for Kalyani Ispat Limited Expenditure incurred under CSR Initiatives

Sr. No	Physical Activity and Action Plan	Actual Implementation		
	Name of Activity	Sl	Name of activity	Expenditure incurred amount Rs
1	Rural Infrastructure like strengthening of Road/ Rain Water Harvesting Structures / Solar Streetlight at village Road	1.	Road Strengthening, Widening and Repairing work from Joratarai to Kopedih in under process.	2800000
		2	Speed breakers fixed and signboards has been erected on road from Balaji industries Ltd, Joratrai to Kopedih village	200000
2	School Upliftment	1.	Distributed school bags along with kits Primary and middle school students of Kopedih village	300000
		2.	Distributed of sweets on Independence Day, Republic day in schools and gram panchayat of Anjora and Kopedih Village.	30000
		3	Kabaddi Tournament at Anjora gram panchayat	100000
3	Agri Clinic and Farmers Training and Facilitation Centre to improve crop quality and production	1.	Irrigation Canal cleaning from Dam to Anjora, village.	300000
4	Human Health / Pathology Centre Clinic	1	Ambulance provided	2319177
5	Plantation	1	Plantation drive approach road from village to plant	471800
6	Others	1	Setting a rest stall for devotes during Dussehra festival	120000
		2	Cricket tournament at kopedih	105000
		3	Contribution to villagers on the occasion of Dussehra festival	585000
			Total	7330977

For Kalyani Ispat Limited



P.K. Deo
Director

KALYANI ISPAT LIMITED

RAIPUR OFFICE : House No.- 117, Building No - N-18, First Floor, Sector-2, Near SBI ATM, Avantl Vihar, Raipur,
Chhattisgarh, India- 492001 Phone: (0771) 2990711, Fax : 91-6582-256442
WORKS : Village-Kopedeh, Tahsil & District- Rajnandgaon, Chhattisgarh, 491441
Email : rproffice@kalyanispatt.com

Ref: KIL/MOEF/EC/25-26/21

Date 09.01.2026

To,
The Collector,
District- Rajnandgaon,
Chhattisgarh

Sub: Proposed Action plan for socio-economic development of villages Kopedih and Anjora
under Rajnandgaon Tehsil and district Rajnandgaon- Regarding

Respected sir,

With respect to the above subject matter, we hereby humbly submit our action plan as a part of our commitment towards socio-economic development of the village- Kopedih under Rajnandgaon Tehsil of district Rajnandgaon under villages-adoption program. The action plan for different activities has been prepared based on need expressed by residents of the villages in different forums. The proposed Action Plan is given below:

Sr. No	Name of Activity	Proposed Implementation Action Plan in FY- 2026-2027		
		Sl.	Name of activity	Proposed amount (Rs.)
1	Rural Infrastructure like strengthening of Road/ Rain Water Harvesting Structures/ Solar Streetlight at village Road	1	Installation of 50 nos street light with poles in the village Road of village Kopedih and Magarlota	250,000
		2	Rain water Harvesting study at village Kopedih & Magarlota. Rain Water Harvesting at Community land of Kopedih – 4 locations	400,000
		3	Renovation of Road infrastructure	28,00,000
2	Drinking Water facility at Village	1.	2 nos Bore wells, pump set village Kopedih consultation with gram panchayat	700,000
3	Human Health / Pathology Centre Clinic	1.	Ambulance with Stretcher, Oxygen Cylinder holder & Doctor Sitting arrangement	23,00,000
		2	quarterly Medical camp and free medicine	200,000
4	School Upliftment	1.	Distribution school bags along with kits Primary and middle school students of Kopedih village	300,000
		2.	Distribution of sweets on Independence Day, Republic day in schools and gram panchayat of Kopedih Village.	30,000
		3	2 Nos. Solar Lighting in Anjora and Kopedih Govt. school.	20,000
		4	Approx. 100 trees will be planted in Kopedih Govt. school.	20,000
		6	2 nos. separate Toilet for boys and girls in Anjora and Kopedih Govt. school.	80,000
		7	Two room at existing schools in village of Kopedih.	8,00,000
		8	Skill development (ITI) for 50 student	50,00,000

Registered Office : 8A, Express Tower, 42A, Shakespeare Sarani, Kolkata, WEST BENGAL, INDIA- 700 017

CIN: U27100WB2021PLC281179

Telefax: (033) 22816480, Email : koloffice@kalyanispatt.com

प्रेषक: 09/01/2026
विशेष कार्यपालक
राज्य निर्माण (प.प.)

KALYANI ISPAT LIMITED

RAIPUR OFFICE : House No.- 117, Building No – N-18, First Floor, Sector-2, Near SBI ATM, Avantl Vihar, Raipur,
Chhattisgarh, India- 492001 Phone: (0771) 2990711, Fax : 91-6582-256442
WORKS : Village-Kopedeeh, Tahsil & District- Rajnandgaon, Chhattisgarh, 491441
Email : rproffice@kalyanispal.com

Sr. No	Name of Activity	Proposed Implementation Action Plan in FY- 2026-2027		
		Sl.	Name of activity	Proposed amount (Rs.)
5	Construction of Cow shed at Gothan. (Community Cow grazing area)	1.	cow shed in 2000 Sq feet in village Kopedih village after community land is provided by Gram Panchayat.	5,00,000
6	Agri Clinic and Farmers Training and Facilitation Centre to improve crop quality and production	1.	One Horticulture Expert person	12,00,000
		2.	Half yearly Soil sampling, and analysis and awareness to farmers for better productivity and better selection of crops.	50,000
7	Development of Greenbelt as Oxygen cum Eco Park		Company will construct Eco park at village Kopedih, Magarlota village after community land to be provided by Gram Panchayat 1. Plantation: 500 Trees in each park 2. Walking path: 200 m in each park 3. Resting chair: 2 chair in each park 4. Open Gym equipment each park 5. water supply 6. Five-year maintenance then handing over to Village Panchayat a full fledged developed oxygen cum Eco Park	37,40,000
8	Water Shed Management	1	Study and survey of 5 Km radius for existing water bodies etc	10,00,000
			Total	1,93,90,000
			Rs: One Cr ninety three lakhs and ninety thousand only	

This is for your kind information.

Thanking you,

Yours faithfully,

For Kalyani Ispat Limited



P.K. Deo
Director

KALYANI ISPAT LIMITED

RAIPUR OFFICE : House No.- 117, Building No – N-18, First Floor, Sector-2, Near SBI ATM, Avanti Vihar, Raipur,
Chhattisgarh, India- 492001 Phone: (0771) 2990711, Fax : 91-6582-256442
WORKS : Village-Kopedeeh, Tahsil & District- Rajnandgaon, Chhattisgarh, 491441
Email : rproffice@kalyaniispat.com

Annexure - 18

Capital cost incurred for Environmental control Measures as on 31.12.2025

(A) Air Pollution

Division	Expenses (in Rs.)
ESP	
Pellet	6,14,64,800
CPP	20,48,68,800
BAG FILTER	
Pellet	3,34,99,993
DRI	13,40,00,000
STACK	
Pellet	1,01,61,992
Rolling Mill	36,50,000
Online Monitoring System	
Pellet	13,59,000
Fume Extraction System	
SMS	2,71,95,000
Total	47,61,99,585

(B) Water Pollution

Division	Expenses (in Rs.) excluding GST
SMS (Water Treatment Plant)	31,00,000
Rolling Mill (Settling Tank)	3,90,00,000
Total	4,21,00,000

Total : A+B = Rs. 51,82,99,585 = Rs. 51.83 Crores

For Kalyani Ispat Limited



P.K. Deo
Director